

WINTER BUNDLE

ARE YOU READY?



2011 - 2012 WINTER BUNDLE

PLOW BOLTS • WINTER WORK GLOVES • ICE MELTER • WIPER BLADES • DE-ICERS • CHEMICALS



Ninja ICE Cold Weather Gloves



- Double layer gloves, 7 gauge acrylic terry liner on the inside and a 15 gauge nylon liner with HPT coating on the outside
- HTP Coated Palm and Fingertips – repels liquids while providing a firm wet or dry grip
- Coating remains soft and flexible in temperatures as low as -50°C or -58°F
- Treated in Actifresh to kill bacteria; promotes freshness
- Applications include Cold Storage, Commercial Fishing, Construction/Utilities and outdoor winter use

Part No.	Size	Unit
N9690M	Medium	12 pair
N9690M-1	Medium	1 pair
N9690L	Large	12 pair
N9690L-1	Large	1 pair
N9690XL	X-Large	12 pair
N9690XL-1	X-Large	1 pair

Work Gloves

- Cold weather
- Made of long lasting, top grain pigskin; stronger than cowhide, will also retain softness when wet or damp
- Fully lined with Heatkeep® insulating lining



Part No.	Description	Unit
MEM1966L	Work Gloves, Large, knit wrist	6 pair
21785	Work Gloves, Large, safety cuff	1 pair

Hat Liners

- One size fits all
- Fire retardant material



Part No.	Description	Unit
-24886-M	Winter-cape style; extra heavy-weight twill cover w/sherpa lining 4 suspension tabs and adjustable chin strap; covers neck	1
-24886-L	Winter-cape style; extra heavy-weight twill cover w/fleece; 4 suspension tabs and adjustable chin strap; covers neck	1

Safety Vests

- Meets ANSI / ISEA 107-2010 Standards
- Solid 100% polyester with adjustable front closure and 3 pockets, fluorescent lime
- 2" silver retro-reflective stripes
- Sizes: L, XL and X2



Part No.	Description	Unit
VCL2SLL	Class 2 Safety Vest - Large	1
VCL2SLXL	Class 2 Safety Vest - XLarge	1
VCL2SLX2	Class 2 Safety Vest - 2XLarge	1

Safety Vests

- Meets ANSI / ISEA 107-2010 Standards
- Mesh 100% polyester with zipper front closure, 2 interior pockets, fluorescent lime
- 4 ½" orange/silver 3M retro-reflective stripes
- Sizes: L, XL and X2



Part No.	Description	Unit
WCCL2LL	Class 2 Safety Vest - Large	1
WCCL2LXL	Class 2 Safety Vest - XLarge	1
WCCL2LX2	Class 2 Safety Vest - 2XLarge	1

Windshield Washer Concentrate

- Anti-freeze additive protects cleaner from freezing in winter weather
- High-strength cleaning solution easily cuts through road grime, salt film, smog; dissolves bird and insect filth
- Anti-glare formula; no streaks to distort vision
- Dilution rates:
 - Winter Use: Add 1 pt. of concentrate to 1 qt. water; a 1:2 volume ratio provides protection to -10°F
 - Summer Use: Add 4 fl. oz. concentrate to 1 qt. water



Part No.	Contents	Unit
21916	16 fl. oz. plastic bottle	12
21920	5 gallon, plastic bottle/dispenser box	1

Fuel System Dryer & Anti-Freeze

- Contains isopropyl alcohol
- Safe for electronic fuel injectors, catalytic converters, and all other engines
- Eliminates fuel line icing
- Dissolves gum, varnish and carbon deposits; increases power; saves on fuel costs
- For automotive, truck, tractor, marine & industrial engines



Part No.	Contents	Unit
19428	12 fl. oz. plastic bottle	24

“Fast Start 65” Starting Fluid

- 65% ethyl ether content with petroleum distillates is 100% combustible to trigger fast, easy starts in gasoline and diesel engines
- Starts all internal combustion engines in temperatures down to -65°F
- Contains upper cylinder lubricant and anti-corrosive agent to protect engine components and reduce engine wear
- A short 2 to 3 second spray into the air intake breather starts gasoline and diesel engines quickly to provide longer battery and starter life
- Safe for all internal combustion engines including automobiles, trucks, tractors, snowblowers, chain saws, outboard motors, lawn mowers, fractional horsepower engines, etc.



Part No.	Contents	Unit
KP73047	16 fl. oz. can; 10.4 oz. nt. wt.	12

NOTE: DO NOT use with flooded engines, glow plugs or pre-heat manifolds

Metal Protec - Metal Protectant

- Instant friction reduction for metal to metal contacts
- Penetrates corroded parts
- Displaces moisture
- Protects metal from corrosion
- Improves removal of rusted parts
- Eliminates squeaks and squeals
- Straw colored, light foaming penetrating oil



Part No.	Description	Unit
BD1117	20 oz. aerosol; 16 oz. net wt.	6

Ice Melt

- Fast acting
- Non-streaking on glass surfaces
- Solvent blend to safely and effectively remove ice, snow, and frost from most windshields, headlights and door locks
- Will not harm plastics, rubber, or painted surfaces
- Prevents refreezing



Part No.	Description	Unit
BD1483	20 oz. aerosol, 15 oz. net wt.	12

Lock De-Icer

- Special chemical compound breaks up, loosens and melts ice quickly and easily; minimizes downtime
- Non-abrasive formula will not harm rubber, metal, painted surfaces; safe for all vehicles
- Lubricating agents help prevent freezing from reoccurring; saves labor time
- Automatic push-in spray nozzle provides easy, accurate application; no mess, no waste



Part No.	Contents	Unit
B10205-1	5/8 net wt. aerosol	1

Deep Thaw™ Snow and Ice Melter

- Each individual DEEP THAW™ granule is coated with melting enhancers
- Melts down to -27°F
- Contains no dangerous chemicals; can be handled safely with bare hands
- Green colored granules reduce the possibility of over-application, the major cause of tracking problems
- Safe on carpets and floors; leaves no oily residue
- Safe for concrete when used according to the manufacturers recommendations
- DEEP THAW™ contains an anti-corrosive chemical to help fight corrosion of exposed metal
- Will not harm trees, shrubs, lawns or other vegetation when used properly
- Available in convenient 50-lb. containers
- Very economical to use
- Less likely to attract moisture and cake or clump



Part No.	Size	Unit
M146906	50 lb. box, single	1

Anti-Corrosion Rings

- Heavy-duty felt construction won't rip or tear; long service life
- NCP-2 impregnated - prevents corrosion; extends battery and starter life
- Rings are 13/8" O.D. x 11/16" I.D. x 1/8" thick
- Fits positive and negative post terminals



Part No.	Color	Description	Unit
21949	Red/Positive	Top Post	100/Can

Tire Tread Depth Gauge

- Quickly, accurately tells how much tread is left on a tire
- Simplifies computing proper tire trade-in allowance
- Calibrated in mm and 1/32 inches
- Pocket clip
- Chrome plated for long life
- May also be used for all types of depth measurements



Part No.	Description	Unit
KP73463	Tire Tread Depth Gauge	1

Spacemaster Split Placard

Includes: Dangerous, Flammable Gas 2, Poison 6, Corrosive 8, Flammable 3, Oxidizer 5.1, Radioactive 7, Non-flammable Gas 2, Blank

- Aluminum split frame with steel clips
- Two parts follow the action of 12" roll-up rear door panels without obstructing the door



Part No.	Description	Unit
83101	Spacemaster Split Placard	1

All-Weather Corrosion Protection Tape


- 10 mil thick
- Pressure sensitive, PVC-based tapes
- Can be applied over a wide temperature range
- Protect against moisture, acids, alkalies, salts and sewage
- Can be used in direct burial applications
- For corrosion protection jobs on pipes, conduit, fittings, joints and valves



Part No.	3M No.	Width (In.)	Ft. per Roll	Unit
-21469-5	50	1	100	1 Roll
-21469-6	50	2	100	1 Roll

Safety Tread

- Non-slip surface provides maximum skid resistance without interfering with normal walking
- Untearable for maximum protection from flaking and chipping
- Instant bonding adhesive back eliminates the use of an additional adhesive for sealing edges
- Low profile eliminates tripping; won't catch heels or shoe edges
- Not recommended for outdoor use or for surfaces subject to heavy hydrocarbon saturation
- Temperature range: 0°F to 150°F; heavy duty, waterproof
- Cleats are designed and sized for stairs or ramps



Part No.	Size / Type	Unit
C84941	12 cleats, 6" x 24", Black	1 Box
KP72378	2 in. x 20 yds., 3 mil Brown	1 Roll
C84942	4" x 60 ft., Black	1 Roll

Premium Cold Weather Electrical Tape

- Premium grade all-weather vinyl electrical tape, ideal for all wire and cable splices rated up to 600V
- Flame retardant, premium grade PVC film resists moisture, acids, alkalies, oil, abrasion and UV light
- High performance vinyl plasticizer backing and specially formulated adhesive exceeds most in-service demands
- Meets the following specifications: Bell Operating Companies 1-G vinyl for electrical splicing, UL 510 flame retardant, CSA 0° to 220° F temperature testing, ASTM D 3005 82A Type II and MIL--24391-A
- Equivalent to 3M Super 88 Electrical Tape



Part No.	Thickness (In.)	Width (In.)	Ft. per Roll	Unit
TX-28	.0085	3/4	66	1 Roll

All-Weather Sealing Tape

- Aluminum faced, asphalt backed, heavy duty, weatherproof
- 2 mil dead soft aluminum; 43 mil butyl rubber based adhesive
- Application temperature range: 32° to 160°F
- Operating: -20° to 200°F
- Non-staining; sticks to most surfaces; paintable
- No mess application
- Seals seams in gutters, roof valleys, eaves around chimneys and vents, rooftop duct systems, leaks in vans, tears in metal panels of trailers, RVs, shipping containers and metal buildings; may be used as a pipe wrapping



Part No.	Width (In.)	Ft. per Roll	Unit
-21469-4	4	30	1 Roll

PVC Insulating Tape



- Closed cell PVC foam sealant specifically designed to cushion and seal between camper tops and truck sides - excellent insulator for corner posts, roof rails, on metal to metal lap joints and as a seal on door and window frames
- Excellent resistance to heat, cold, moisture, dryness, fungi, oxidation - will never split or shred
- Protective mylar liner acts as an added barrier against moisture and vapor penetration
- PVC foam reduces unwanted noise and wear on painted surfaces
- Pressure-sensitive acrylic adhesive holds tight and secure to any clean surface
- Temperature range: -50° to 250°F
- Black color
- Elongation = 150%
- Tensile oz./inch = 22
- Adhesion oz./lb. = 10

Part No.	Thickness (In.)	Width (In.)	Ft. per Roll	Unit
KP72319	.1875	2	30	1 Roll

Seat Covers & Floor Mats

- Plastic seat covers fit most car and truck seats
- Protect vehicle seats from staining and becoming dirty while vehicle is being repaired
- Seat covers are made of clear plastic
- Paper floor mats for use with most cars and trucks
- Protect floor area from staining and becoming dirty while vehicle is being driven or repaired
- Floor mats are made of white paper

Part No.	Description	Color	Content	Unit
289334N	Plastic Seat Cover	Clear	125/box	1 Box
289335N	Paper Floor Mats	White	250/box	1 Box

22" Super Deluxe Snowbrush



- Snow brush includes the BearClaw blade

Part No.	Description	Unit
75410	22" Snowbrush	1


52" Super Extender Broom



- Heavy duty broom for snow clearing power
- Steel extender handle with soft cushion grip
- Extra wide blade with convenient squeegee
- Ideal tool for trucks, vans and SUVs

Part No.	Description	Unit
75411	52" Broom	1

Driveway/Safety Markers



- Molded Head on twisted aircraft-grade aluminum rod
- Brilliant break-resistant plexiglass reflector
- Rustproof

Part No.	Description	Unit
HK10236	48" Aluminum Red Driveway Marker	24
HK10244	48" Aluminum Amber Driveway Marker	24

Fiberglass Safety Markers



- Made of durable fiberglass
- 4-1/2" reflective tape is wrapped around each marker
- Rubber tip at the top protects end
- Visible from all angles

Part No.	Description	Unit
HK20237	48" Orange Fiberglass Safety Marker	36
HK20238	72" Orange Fiberglass Safety Marker	36

ProTouch™ Retractable Utility Knife



- QUICK-CHANGE® mechanism allows for easy blade removal and reversal without opening
- Includes six BLUE BLADE Bi-Metal utility blades
- Optimized cutting angle for reduced fatigue
- ProTouch ergonomic grip
- Inside storage for five blades

Part No.	Description	Unit
998163	Utility Knife	1

BLUE BLADE™ Bi-Metal Utility Blades

- Patented bi-metal technology - unbreakable under normal work conditions and lasts longer than traditional carbon blades



Part No.	Description	Unit
998165	100 pack w/dispenser	100 each

Wrecking Bar



- High carbon steel construction
- Chisel end beveled
- Claw and chisel end polished; claw slotted

Part No.	Size	Description	Unit
19580	3-1/2 lbs.	3/4" x 24"	1

Hydra-Link Terminals & Heat Shrink Tubing Assortment

- 11 compartment tray with lid chart
- 11 items / 100 pieces
- HYDRALINK sealed multiple wire connectors and high adhesive flow tubing

Part No.	Description	Unit
59411B	Wire Connectors	1

Hydra-Link Terminals & Heat Shrink Tubing Assortment

- 11 compartment tray with lid chart
- 13 items / 102 pieces
- Same as assortment #59411B with the addition of Ratchet Crimper (part no. 998730) and torch (part no. 998732)

Part No.	Description	Unit
59412B	Wire Connectors w/tools	1

Multi-Link Connectors Metal Tray Assortment



- Multi-Link, Sealed Crimp & Solder Connectors are crimped for mechanical reliability, soldered for superior strength and conductivity, and sealed for maximum durability
- 24 Items; 255 Pieces
- Wire Range 24 AWG - 10 AWG

Part No.	Description	Unit
59650B	Multi-Link Assortment	1

Grade 8 Plow & Blade Bolts



- UNC
- Meets SAE J429 Grade 8 specifications
- Medium carbon alloy steel
- Through-hardened
- No. 3 head (dome, countersunk, square neck)
- 150,000 psi minimum tensile strength

Part No.	Dia. - TPI (In.)	Length (In.)	Unit
37777	5/8-11	1-3/4	25
37778	5/8-11	2	25
37779	5/8-11	2-1/4	25
37780	5/8-11	2-1/2	25
37781	5/8-11	2-3/4	25
37782	5/8-11	3	25
37783	5/8-11	3-1/2	25
37784	5/8-11	4	25
37789	3/4-10	2-1/4	25
37790	3/4-10	2-1/2	25
37791	3/4-10	2-3/4	25
37792	3/4-10	3	25
37794	3/4-10	3-1/2	10
37801	7/8-9	3	25
37810	1-8	2-3/4	25
37811	1-8	3	25
37812	1-8	3-1/2	25
37814	1-8	4	10
37817	1-1/4-7	4	10

Grade 8 Plow & Blade Bolts - Plain Finish

- UNC
- Meets SAE J429 Grade 8
- Medium carbon alloy steel
- 150,000 psi minimum tensile strength
- 1/2" diameter is no. 3 flat head
- 5/8" through 1-1/4" diameter are no. 3 dome head



Part No.	Dia. - TPI (In.)	Length (In.)	Unit
37691	1/2-13	1-1/2	25
37692	1/2-13	1-3/4	25
37693	1/2-13	2	25
37694	1/2-13	2-1/4	25
37695	1/2-13	2-1/2	25
37696	1/2-13	2-3/4	25
37697	1/2-13	3	25
37698	1/2-13	3-1/2	25
37699	1/2-13	4	25
37700	5/8-11	1-3/4	25
37701	5/8-11	2	25
37702	5/8-11	2-1/4	25
37703	5/8-11	2-1/2	25
37704	5/8-11	2-3/4	25
37705	5/8-11	3	25
37706	5/8-11	3-1/2	25
37707	5/8-11	4	25
C39272	5/8-11	4-1/2	10
C39273	5/8-11	5	10
C39274	5/8-11	6	10
C39275	3/4-10	2	25
37708	3/4-10	2-1/4	25
37709	3/4-10	2-1/2	25
37710	3/4-10	2-3/4	25
37711	3/4-10	3	25
37712	3/4-10	3-1/2	25
37713	3/4-10	4	25
37714	3/4-10	4-1/2	25
C39283	3/4-10	6	10
37715	7/8-9	2-1/2	10
C737610	7/8-9	2-3/4	10
37716	7/8-9	3	10
37717	7/8-9	3-1/2	10
C39288	7/8-9	4	5
C737708	1-8	2-1/2	5
37718	1-8	2-3/4	10
37719	1-8	3	10
C737714	1-8	3-1/4	5
37720	1-8	3-1/2	10
C39294	1-8	3-3/4	5
37721	1-8	4	10
C39296	1-8	4-1/2	5
C39297	1-8	5	5
C39298	1-8	6	5
37722	1-1/4-7	4	5
C24043	1-1/4-7	4	25
C737822	1-1/4-7	4-1/2	5
C24044	1-1/4-7	4-1/2	25
C24045	1-1/4-7	5	25
C737824	1-1/4-7	5	5

Grade 5 Plow & Blade Bolts - Zinc

- UNC
- Medium carbon steel
- Through-hardened
- Meets SAE J429 Grade 5 specifications
- 120,000 psi minimum tensile strength
- 3/8" through 1/2" diameters are no. 3 flat head
- 5/8" diameter is no. 3 dome head



Part No.	Dia. - TPI (In.)	Length (In.)	Unit
-33724-1	3/8-16	1	50
-33724-1-1/4	3/8-16	1-1/4	50
-33724-2	3/8-16	1-1/2	50
-33724-4	3/8-16	2	50
-33725-2	7/16-14	1-1/2	50
-33725-3	7/16-14	1-3/4	50
-33725-4	7/16-14	2	50
-33725-6	7/16-14	2-1/2	50
-33725-8	7/16-14	3	50
-33726-1	1/2-13	1-1/2	50
-33726-3	1/2-13	2	50
-33726-5	1/2-13	2-1/2	50
-33726-7	1/2-13	3	50
33729	5/8-11	2	25
33730	5/8-11	2-1/4	25
33731	5/8-11	2-1/2	25
33732	5/8-11	3	25
33733	5/8-11	3-1/2	25

Grade 5 Plow & Blade Bolts - Non-Plated

- Meets SAE J429 Grade 5 specifications
- 3/8" through 1/2" diameters are no. 3 flat head
- 5/8" diameter is no. 3 dome head



Part No.	Dia. - TPI (In.)	Length (In.)	Unit
33740	3/8-16	1	50
33742	3/8-16	1-1/2	50
33744	3/8-16	2	50
33745	7/16-14	1-1/4	50
33746	7/16-14	1-1/2	50
33747	7/16-14	1-3/4	50
33748	7/16-14	2	50
33749	7/16-14	2-1/4	50
33750	7/16-14	2-1/2	50
33751	7/16-14	3	50
33752	1/2-13	1-1/2	50
33754	1/2-13	1-3/4	50
33755	1/2-13	2	50
KP54163	1/2-13	2-1/4	50
33756	1/2-13	2-1/2	50
33757	1/2-13	3	50
C736530	5/8-11	1-1/2	25
33758	5/8-11	1-3/4	25
33759	5/8-11	2	25
33760	5/8-11	2-1/4	25
33761	5/8-11	2-1/2	25
33762	5/8-11	3	25
33763	5/8-11	3-1/2	25
KP70680	5/8-11	4	25

ClearPlus

quality at a value

Clear Plus® Sentinal Series Windshield Products



- Universal preinstalled adapter works with roughly 98% of the cars and trucks on North American roads
- Patented natural rubber formulation is compression molded and meets or exceeds all physical property benchmarks of major global brands
- Adapter mounting pin and saddle are designed to strengthen design outperform competition in salt-spray, stress and wind-tunnel tests

Part No.	Unit	Mini-Pack Part No.	Unit	Wiper Blade Size
BD289041	10	MPBD289041	4	11"
BD289042	10	MPBD289042	4	13"
BD289043	10	MPBD289043	4	15"
BD289044	10	MPBD289044	4	16"
BD289045	10	MPBD289045	4	17"
BD289046	10	MPBD289046	4	18"
BD289047	10	MPBD289047	4	19"
BD289048	10	MPBD289048	4	20"
BD289049	10	MPBD289049	4	21"
BD289051	10	MPBD289051	4	22"
BD289052	10	MPBD289052	4	24"
BD289053	10	MPBD289053	4	26"
BD289054	10	MPBD289054	4	28"

ClearPlus

premium performance

Clear Plus® Signature Series Windshield Products



- Hugs the windshield like a beam blade
- More pressure points (6 for sizes 16" and 17", 8 starting size 18") provide significantly better quality of wipe in comparison to other premium brands
- 1.2 mm galvanized steel frame eliminates wind lift completely

Part No.	Unit	Mini-Pack Part No.	Unit	Wiper Blade Size
BD289055	10	MPBD289055	4	16"
BD289056	10	MPBD289056	4	17"
BD289057	10	MPBD289057	4	18"
BD289058	10	MPBD289058	4	19"
BD289059	10	MPBD289059	4	20"
BD289060	10	MPBD289060	4	21"
BD289061	10	MPBD289061	4	22"
BD289062	10	MPBD289062	4	24"
BD289063	10	MPBD289063	4	26"
BD289064	10	MPBD289064	4	28"

Clear Plus® Winter Wiper Blades

Part No.	Unit	Mini-Pack Part No.	Unit	Winter Wiper Blade Size
BD289066	10	MPBD289066	4	16"
BD289067	10	MPBD289067	4	18"
BD289068	10	MPBD289068	4	20"
BD289069	10	MPBD289069	4	22"
BD289070	10	MPBD289070	4	24"
BD289071	10	MPBD289071	4	26"

Clear Plus® Signature Series Wiper Blade Assortments

Part No.	Description	Unit
BD289072	Wall Rack	1
BD289073	Floor Rack	1



1301 East 9th Street, Cleveland, OH 44114-1824