

WINTER BUNDLE

ARE YOU READY?



2011 - 2012 WINTER BUNDLE

PLOW BOLTS • WINTER WORK GLOVES • ICE TRACTION • WIPER BLADES • DE-ICERS • HAND SANITIZERS • CHEMICALS

PURELL® Sanitizing Wipes

- All the germ-killing benefits of PURELL, America's #1 instant hand sanitizer, in a non-linting, durable wipe
- Textured for superior cleaning; sanitizes hands while wiping away light soils and dirt
- Kills 99.99% of most common germs that may cause illness
- Convenient, easy to use; ideal for anywhere germs may be



Part No.	GoJo No.	Description	Unit
998828	9010-06	175 Sanitizer Wipes / Bucket	6

PURELL® Sanitizing Hand Wipes

- Individually wrapped, "on-the-go" amenity item for a wide variety of markets, including public offices and transportation, food service, health care and travel industries
- Economical towelettes that clean and sanitize and help stop the spread of germs
- Made with 62% ethyl alcohol – the same active ingredient as original formula PURELL Instant Hand Sanitizer
- Clear acrylic gravity-fed dispenser for individually-wrapped PURELL wipes
- Dispenser holds 120 - 130 wipes; hinged lid for easy refilling



Part No.	GoJo No.	Description	Unit
998829	9020-4M	Hand Sanitizer Wipes / 4000 count	1
998830	9021-1M	Hand Sanitizer Wipes / 1000 count	1
998831	9022-10	Hand Sanitizer Wipes / 100 count	10
998832	9023-06	Sanitizer Wipes Dispenser	1

Sani-Safe II Foaming Hand Sanitizer - Alcohol Free Formula

- Kills 99.99% of germs
- Dries instantly
- Alcohol free, fragrance free
- Non-drying, non-irritating



Part No.	Description	Unit
998833	1.7 oz. bottle	24

Genuine Joe Gel Hand Sanitizer

- Kills 99.99% of most common germs
- Environmentally sensitive formula containing 60% grain-based ethanol and other natural ingredients
- Hand to use, pump top bottle



Part No.	Description	Unit
998834	8.5 oz. bottle	1

3M Nexcare Hand Sanitizer with Moisturizer

- Kills 99.99% of germs in 15 seconds
- Moisture-rich formula leaves hands feeling soft and smooth
- Excellent for people who work with their hands
- Flip top style bottle



Part No.	Description	Unit
H9221	3 oz. bottle	24
H9222	16 oz. bottle	12

PURELL® TFX™ - Touch Free Design

- Three C-size alkaline batteries included
- Dove Gray with matte finish
- Fully ADA compliant, UL/CE registered
- Three-year guarantee
- Dimensions: 10.5" Height x 6" Width x 4" Depth



Part No.	GoJo No.	Description	Unit
998836	5456-04	1200ml Touchless Refill	4
998837	2720-12	1200ml Touchless Dispenser	1

PURELL® Instant Hand Sanitizer

- America's #1 Instant Hand Sanitizer
- Used as a supplement to regular hand washing
- Use as a no-rinse alternative to hand washing
- Kills 99.9% of common germs that may cause illness in as little as 15 seconds
- Pleasant citrus fragrance; leaves no residue; alcohol based
- Part No. 77093 Dispenser fits both 800 ml and 1000 ml bottle



Part No.	GoJo No.	Description	Unit
09652	9652-12	8.0 oz. pump bottle	6
09656	9656-06	800 ml refill	6
09621	9621-12	800 ml dispenser	1
998835	2146-04	1000 ml refill	4
77093	2120-06	Dispenser	1

Kanka® Mouth Sore Medication

- Temporary relief from canker sores, denture abrasions and irritation from braces
- Packaged in single dose packets to eliminate cross-contamination
- Unit is 1 (Box of 10)



Part No.	Description	Unit
KP100043	Kanka Toothache Gel (10)	1 (Box of 10)

Blistex® Ointment

- Medicated formula penetrates to provide relief for cold sores and dry, cracked lips
- Packaged in single dose packets to eliminate cross-contamination



Part No.	Description	Unit
KP100042	Blistex Ointment (10)	1 (Box of 10)

Throat Eez Lozenges

- Soothing anesthetic throat lozenge for fast temporary relief of minor sore throat pain due to flu, colds, and throat irritations
- Unit is 1 (Box of 50)



Part No.	Description	Unit
KP150086	Throat Eez	1

Cough Drops - Cherry

- Cherry flavor with menthol and oil of eucalyptus



Part No.	Description	Unit
KP101605	Cough Drops-Cherry (125)	1
KP100030	Cough Drops-Cherry (50)	1

Cough Drops - Honey Lemon

- Honey lemon flavor with menthol and oil of eucalyptus



Part No.	Description	Unit
KP101606	Cough Drops-Honey Lemon (125)	1

PowerProtec Hand Lotion

- Specially formulated with petroleum, mineral oil, and dimethicone to form a non-greasy, industrial, concentrated lotion to aid in the healing of chapped, itchy, and dry skin
- 1 gram packet
- Unit is 1 (Box of 10)



Part No.	Description	Unit
KP100044	Hand Lotion, box of 10	1

Medi-Seltzer®

- Effervescent pain reliever and antacid with specially buffered aspirin
- Compare to Alka-Seltzer®
- Unit is 1 (Box of 36)



Part No.	Description	Unit
KP151738	Antacid	1

Cold-Eeze Lozenges

- Clinically proven to be safe and effective in reducing the duration and severity of the common cold
- Contains: zinc, gluconate, and glycine
- Take at the first sign of a cold
- Box contains assortment of flavors: citrus, cherry, menthol eucalyptus, tropical fruit, and honey lemon
- 25 tablets per box



Part No.	Description	Unit
KP152227	Cold-Eeze Lozenges (25)	1

Instant Hot Compress

- Convenient and compact
- For use whenever instant hot therapy is required
- For external use only, temperature may exceed 160°F (71°C)
- Contains calcium chloride and water



Part No.	Description	Unit
KP151132	Instant Hot Compress-Large	1

Ninja ICE Cold Weather Gloves



- Double layer gloves, 7 gauge acrylic terry liner on the inside and a 15 gauge nylon liner with HPT coating on the outside
- HTP Coated Palm and Fingertips – repels liquids while providing a firm wet or dry grip
- Coating remains soft and flexible in temperatures as low as -50°C or -58°F
- Treated in Actifresh to kill bacteria; promotes freshness
- Applications include Cold Storage, Commercial Fishing, Construction/Utilities and outdoor winter use

Part No.	Size	Unit
N9690M	Medium	12 pair
N9690M-1	Medium	1 pair
N9690L	Large	12 pair
N9690L-1	Large	1 pair
N9690XL	X-Large	12 pair
N9690XL-1	X-Large	1 pair

Work Gloves



- Cold weather
- Made of long lasting, top grain pigskin; stronger than cowhide, will also retain softness when wet or damp
- Fully lined with Heatkeep® insulating lining

Part No.	Description	Unit
MEM1966L	Work Gloves, Large, knit wrist	6 pair
21785	Work Gloves, Large, safety cuff	1 pair

ProFlex® 816 Thermal Flip-Top Gloves



- Converts from mitten to fingerless glove for cold weather detail work
- Flip-flop fingers & thumb secured open with hook & loop tabs
- Durable polyester knit outside
- Windproof, water repellent micro-fleece inside
- Double layer palm with synthetic suede anti-slide grip
- Soft, polyester fleece cuff
- Applications: cold storage, construction, winter work

Part No.	Description	Unit
*ERG16072	Black Thermal Flip-Flop Gloves, S	1 pr.
*ERG16073	Black Thermal Flip-Flop Gloves, M	1 pr.
*ERG16074	Black Thermal Flip-Flop Gloves, L	1 pr.
*ERG16075	Black Thermal Flip-Flop Gloves, XL	1 pr.
*ERG16076	Black Thermal Flip-Flop Gloves, 2XL	1 pr.

* Items sold through EZ Source

Hat Liners



- One size fits all
- Fire retardant material

Part No.	Description	Unit
-24886-M	Winter-cape style; extra heavy-weight twill cover w/sherpa lining 4 suspension tabs and adjustable chin strap; covers neck	1
-24886-L	Winter-cape style; extra heavy-weight twill cover w/fleece; 4 suspension tabs and adjustable chin strap; covers neck	1

Safety Vests



- Meets ANSI / ISEA 107-2010 Standards
- Solid 100% polyester with adjustable front closure and 3 pockets, fluorescent lime
- 2" silver retro-reflective stripes
- Sizes: L, XL and X2

Part No.	Description	Unit
VCL2SLL	Class 2 Safety Vest - Large	1
VCL2SLXL	Class 2 Safety Vest - XLarge	1
VCL2SLX2	Class 2 Safety Vest - 2XLarge	1

Safety Vests



- Meets ANSI / ISEA 107-2010 Standards
- Mesh 100% polyester with zipper front closure, 2 interior pockets, fluorescent lime
- 4 ½" orange/silver 3M retro-reflective stripes
- Sizes: L, XL and X2

Part No.	Description	Unit
WCCL2LL	Class 2 Safety Vest - Large	1
WCCL2LXL	Class 2 Safety Vest - XLarge	1
WCCL2LX2	Class 2 Safety Vest - 2XLarge	1

Trex- One-Piece Traction Device



- Rugged steel studs for tenacious grip & stability
- Stretchable black rubber for fit and easy on/off
- Flexible to -40°F (-40°C)
- M (5-8), L (8-11), XL (11-14), see size chart for all countries
- Contains 2 replacement studs

Part No.	Description	Unit
*ERG16753	Ice Traction - Medium	1 pair
*ERG16754	Ice Traction - Large	1 pair
*ERG16755	Ice Traction - X-Large	1 pair

* Items sold through EZ Source

Windshield Washer Concentrate

- Anti-freeze additive protects cleaner from freezing in winter weather
- High-strength cleaning solution easily cuts through road grime, salt film, smog; dissolves bird and insect filth
- Anti-glare formula; no streaks to distort vision
- Dilution rates:
 - Winter Use: Add 1 pt. of concentrate to 1 qt. water; a 1:2 volume ratio provides protection to -10°F
 - Summer Use: Add 4 fl. oz. concentrate to 1 qt. water



Part No.	Contents	Unit
21916	16 fl. oz. plastic bottle	12
21920	5 gallon, plastic bottle/dispenser box	1

Fuel System Dryer & Anti-Freeze

- Contains isopropyl alcohol
- Safe for electronic fuel injectors, catalytic converters, and all other engines
- Eliminates fuel line icing
- Dissolves gum, varnish and carbon deposits; increases power; saves on fuel costs
- For automotive, truck, tractor, marine & industrial engines



Part No.	Contents	Unit
19428	12 fl. oz. plastic bottle	24

"Fast Start 65" Starting Fluid

- 65% ethyl ether content with petroleum distillates is 100% combustible to trigger fast, easy starts in gasoline and diesel engines
- Starts all internal combustion engines in temperatures down to -65°F
- Contains upper cylinder lubricant and anti-corrosive agent to protect engine components and reduce engine wear
- A short 2 to 3 second spray into the air intake breather starts gasoline and diesel engines quickly to provide longer battery and starter life
- Safe for all internal combustion engines including automobiles, trucks, tractors, snowblowers, chain saws, outboard motors, lawn mowers, fractional horsepower engines, etc.




Part No.	Contents	Unit
KP73047	16 fl. oz. can; 10.4 oz. nt. wt.	12

NOTE: DO NOT use with flooded engines, glow plugs or pre-heat manifolds

Anti-Corrosion Rings

- Heavy-duty felt construction won't rip or tear; long service life
- NCP-2 impregnated - prevents corrosion; extends battery and starter life
- Rings are 13/8" O.D. x 11/16" I.D. x 1/8" thick
- Fits positive and negative post terminals



Part No.	Color	Description	Unit
21949	Red/Positive	Top Post	100/Can

Tire Tread Depth Gauge

- Quickly, accurately tells how much tread is left on a tire
- Simplifies computing proper tire trade-in allowance
- Calibrated in mm and 1/32 inches
- Pocket clip
- Chrome plated for long life
- May also be used for all types of depth measurements



Part No.	Description	Unit
KP73463	Tire Tread Depth Gauge	1

Spacemaster Split Placard

Includes: Dangerous, Flammable Gas 2, Poison 6, Corrosive 8, Flammable 3, Oxidizer 5.1, Radioactive 7, Non-flammable Gas 2, Blank

- Aluminum split frame with steel clips
- Two parts follow the action of 12" roll-up rear door panels without obstructing the door



Part No.	Description	Unit
83101	Spacemaster Split Placard	1

Ice Melt

- Fast acting
- Non-streaking on glass surfaces
- Solvent blend to safely and effectively remove ice, snow, and frost from most windshields, headlights and door locks
- Will not harm plastics, rubber, or painted surfaces
- Prevents refreezing



Part No.	Description	Unit
BD1483	20 oz. aerosol, 15 oz. net wt.	12

Lock De-Icer

- Special chemical compound breaks up, loosens and melts ice quickly and easily; minimizes downtime
- Non-abrasive formula will not harm rubber, metal, painted surfaces; safe for all vehicles
- Lubricating agents help prevent freezing from reoccurring; saves labor time
- Automatic push-in spray nozzle provides easy, accurate application; no mess, no waste



Part No.	Contents	Unit
B10205-1	5/8 net wt. aerosol	1

Deep Thaw™ Snow and Ice Melter

- Each individual DEEP THAW™ granule is coated with melting enhancers
- Melts down to -27°F
- Contains no dangerous chemicals; can be handled safely with bare hands
- Green colored granules reduce the possibility of over-application, the major cause of tracking problems
- Safe on carpets and floors; leaves no oily residue
- Safe for concrete when used according to the manufacturers recommendations
- DEEP THAW™ contains an anti-corrosive chemical to help fight corrosion of exposed metal
- Will not harm trees, shrubs, lawns or other vegetation when used properly
- Available in convenient 50-lb. containers
- Very economical to use
- Less likely to attract moisture and cake or clump



Part No.	Size	Unit
M146905	49 lb. bag, pallet - U.S.	49
M146906	50 lb. box, single	1
M146905-TRUCKNE	50 lb. bag, Northeast Region Truckload	882
M146905-TRUCKMW	50 lb. bag, Midwest Region Truckload	882
M146905-TRUCKS	50 lb. bag, Southern Region Truckload	882
M146905-TRUCKW	50 lb. bag, Western Region Truckload	882

Northeast Part No. M146905-TRUCKNE

For truckload sales into these states: CT, DC, DE, MA, MD, ME, NH, NJ, NY, PA, RI, VT

Midwest Part No. M146905-TRUCKMW

For truckload sales into these states: IA, IL, IN, KS, MI, MO, MN, ND, NE, OH, SD, WI

South Part No. M146905-TRUCKS


For truckload sales into these states: AL, AR, FL, GA, KY, LA, MS, NC, OK, SC, TN, TX, VA, WV

West Part No. M146905-TRUCKW

For truckload sales into these states: AZ, CA, CO, ID, MT, NM, NV, OR, UT, WA, WY

Safety Tread

- Non-slip surface provides maximum skid resistance without interfering with normal walking
- Untearable for maximum protection from flaking and chipping
- Instant bonding adhesive back eliminates the use of an additional adhesive for sealing edges
- Low profile eliminates tripping; won't catch heels or shoe edges
- Not recommended for outdoor use or for surfaces subject to heavy hydrocarbon saturation
- Temperature range: 0°F to 150°F; heavy duty, waterproof
- Cleats are designed and sized for stairs or ramps



Part No.	Size / Type	Unit
C84941	12 cleats, 6" x 24", Black	1 Box
KP72378	2 in. x 20 yds., 3 mil Brown	1 Roll
C84942	4" x 60 ft., Black	1 Roll

Premium Cold Weather Electrical Tape



- Premium grade all-weather vinyl electrical tape, ideal for all wire and cable splices rated up to 600V
- Flame retardant, premium grade PVC film resists moisture, acids, alkalis, oil, abrasion and UV light
- High performance vinyl plasticizer backing and specially formulated adhesive exceeds most in-service demands
- Meets the following specifications: Bell Operating Companies 1-G vinyl for electrical splicing, UL 510 flame retardant, CSA 0° to 220° F temperature testing, ASTM D 3005 82A Type II and MIL--24391-A
- **Equivalent to 3M Super 88 Electrical Tape**

Part No.	Thickness (In.)	Width (In.)	Ft. per Roll	Unit
TX-28	.0085	3/4	66	1 Roll

All-Weather Sealing Tape



- Aluminum faced, asphalt backed, heavy duty, weatherproof
- 2 mil dead soft aluminum; 43 mil butyl rubber based adhesive
- Application temperature range: 32° to 160°F
- Operating: -20° to 200°F
- Non-staining; sticks to most surfaces; paintable
- No mess application
- Seals seams in gutters, roof valleys, eaves around chimneys and vents, rooftop duct systems, leaks in vans, tears in metal panels of trailers, RVs, shipping containers and metal buildings; may be used as a pipe wrapping

Part No.	Width (In.)	Ft. per Roll	Unit
-21469-4	4	30	1 Roll

All-Weather Corrosion Protection Tape



- 10 mil thick
- Pressure sensitive, PVC-based tapes
- Can be applied over a wide temperature range
- Protect against moisture, acids, alkalis, salts and sewage
- Can be used in direct burial applications
- For corrosion protection jobs on pipes, conduit, fittings, joints and valves

Part No.	3M No.	Width (In.)	Ft. per Roll	Unit
-21469-5	50	1	100	1 Roll
-21469-6	50	2	100	1 Roll

PVC Insulating Tape



- Closed cell PVC foam sealant specifically designed to cushion and seal between camper tops and truck sides - excellent insulator for corner posts, roof rails, on metal to metal lap joints and as a seal on door and window frames
- Excellent resistance to heat, cold, moisture, dryness, fungi, oxidation - will never split or shred
- Protective mylar liner acts as an added barrier against moisture and vapor penetration
- PVC foam reduces unwanted noise and wear on painted surfaces
- Pressure-sensitive acrylic adhesive holds tight and secure to any clean surface
- Temperature range: -50° to 250°F
- Black color
- Elongation = 150%
- Tensile oz./inch = 22
- Adhesion oz./lb. = 10

Part No.	Thickness (In.)	Width (In.)	Ft. per Roll	Unit
KP72319	.1875	2	30	1 Roll

Seat Covers & Floor Mats

- Plastic seat covers fit most car and truck seats
- Protect vehicle seats from staining and becoming dirty while vehicle is being repaired
- Seat covers are made of clear plastic
- Paper floor mats for use with most cars and trucks
- Protect floor area from staining and becoming dirty while vehicle is being driven or repaired
- Floor mats are made of white paper

Part No.	Description	Color	Content	Unit
289334N	Plastic Seat Cover	Clear	125/box	1 Box
289335N	Paper Floor Mats	White	250/box	1 Box



ProTouch™ Retractable Utility Knife



- QUICK-CHANGE® mechanism allows for easy blade removal and reversal without opening
- Includes six BLUE BLADE Bi-Metal utility blades
- Optimized cutting angle for reduced fatigue
- ProTouch ergonomic grip
- Inside storage for five blades

Part No.	Description	Unit
998163	Utility Knife	1

BLUE BLADE™ Bi-Metal Utility Blades

- Patented bi-metal technology - unbreakable under normal work conditions and lasts longer than traditional carbon blades



Part No.	Description	Unit
998165	100 pack w/dispenser	100 each

Wrecking Bar



- High carbon steel construction
- Chisel end beveled
- Claw and chisel end polished; claw slotted

Part No.	Size	Description	Unit
19580	3-1/2 lbs.	3/4" x 24"	1

Hydra-Link Terminals & Heat Shrink Tubing Assortment

- 11 compartment tray with lid chart
- 11 items / 100 pieces
- HYDRALINK sealed multiple wire connectors and high adhesive flow tubing

Part No.	Description	Unit
59411B	Wire Connectors	1

Hydra-Link Terminals & Heat Shrink Tubing Assortment

- 11 compartment tray with lid chart
- 13 items / 102 pieces
- Same as assortment #59411B with the addition of Ratchet Crimper (part no. 998730) and torch (part no. 998732)

Part No.	Description	Unit
59412B	Wire Connectors w/tools	1

22" Super Deluxe Snowbrush



- Snow brush includes the BearClaw blade

Part No.	Description	Unit
75410	22" Snowbrush	1


52" Super Extender Broom



- Heavy duty broom for snow clearing power
- Steel extender handle with soft cushion grip
- Extra wide blade with convenient squeegee
- Ideal tool for trucks, vans and SUVs

Part No.	Description	Unit
75411	52" Broom	1

Super 44 LED Integral Strobe Lamp



- 4" Round
- Dual or Quad flashing patterns
- 42 diode pattern
- 100,000 hour lamp-life
- Vibration and shock resistant

Part No.	Description	Unit
With non-metalized reflector		
*TR44211R	Super 44 LED Red	1
*TR44211Y	Super 44 LED Yellow	1
With metalized reflector		
*TR44212R	Super 44 LED Red	1
*TR44212Y	Super 44 LED Yellow	1
Gray flange with non-metalized reflector		
*TR44213R	Super 44 LED Red	1
*TR44213Y	Super 44 LED Yellow	1
Gray flange with metalized reflector		
*TR44214R	Super 44 LED Red	1
*TR44214Y	Super 44 LED Yellow	1

* Items sold through EZ Source

16" Halogen Rotator Minibar - Amber



- Permanent Mount
- 85 flashes per minute
- Designed at 12 volts, 3.91 amps
- Polycarbonate lens

Part No.	Description	Unit
*TR92524Y	16" Halogen Rotator Permanent	1
*TR92525Y	16" Halogen Rotator Magnetic	1

* Items sold through EZ Source

Medium Profile Strobe Light - Amber

- 10 joule quad flash
- 65 double or quad flashes per minute
- Polycarbonate, twist-off lens
- 12 Volts DC
- 6.68" high



Part No.	Description	Unit
*TR92572Y	Med. Profile Strobe Light	1

* Items sold through EZ Source

Compact Single Sound Alarm

- Self-Adjusting
- 97 decibels
- 12-48 VDC
- Compact and dependable back-up alarm



Part No.	Description	Unit
*TR92900	Sound Alarm	1

* Items sold through EZ Source

Multi-Link Connectors Metal Tray Assortment

- Multi-Link, Sealed Crimp & Solder Connectors are crimped for mechanical reliability, soldered for superior strength and conductivity, and sealed for maximum durability
- 24 Items; 255 Pieces
- Wire Range 24 AWG - 10 AWG



Part No.	Description	Unit
59650B	Multi-Link Assortment	1

Grade 8 Plow & Blade Bolts



- UNC
- Meets SAE J429 Grade 8 specifications
- Medium carbon alloy steel
- Through-hardened
- No. 3 head (dome, countersunk, square neck)
- 150,000 psi minimum tensile strength

Part No.	Dia. - TPI (In.)	Length (In.)	Unit
37777	5/8-11	1-3/4	25
37778	5/8-11	2	25
37779	5/8-11	2-1/4	25
37780	5/8-11	2-1/2	25
37781	5/8-11	2-3/4	25
37782	5/8-11	3	25
37783	5/8-11	3-1/2	25
37784	5/8-11	4	25
37789	3/4-10	2-1/4	25
37790	3/4-10	2-1/2	25
37791	3/4-10	2-3/4	25
37792	3/4-10	3	25
37794	3/4-10	3-1/2	10
37801	7/8-9	3	25
37810	1-8	2-3/4	25
37811	1-8	3	25
37812	1-8	3-1/2	25
37814	1-8	4	10
37817	1-1/4-7	4	10

Maintenance Supplies

Grade 8 Plow & Blade Bolts - Plain Finish

- UNC
- Meets SAE J429 Grade 8
- Medium carbon alloy steel
- 150,000 psi minimum tensile strength
- 1/2" diameter is no. 3 flat head
- 5/8" through 1-1/4" diameter are no. 3 dome head



Part No.	Dia. - TPI (In.)	Length (In.)	Unit
37691	1/2-13	1-1/2	25
37692	1/2-13	1-3/4	25
37693	1/2-13	2	25
37694	1/2-13	2-1/4	25
37695	1/2-13	2-1/2	25
37696	1/2-13	2-3/4	25
37697	1/2-13	3	25
37698	1/2-13	3-1/2	25
37699	1/2-13	4	25
37700	5/8-11	1-3/4	25
37701	5/8-11	2	25
37702	5/8-11	2-1/4	25
37703	5/8-11	2-1/2	25
37704	5/8-11	2-3/4	25
37705	5/8-11	3	25
37706	5/8-11	3-1/2	25
37707	5/8-11	4	25
C39272	5/8-11	4-1/2	10
C39273	5/8-11	5	10
C39274	5/8-11	6	10
C39275	3/4-10	2	25
37708	3/4-10	2-1/4	25
37709	3/4-10	2-1/2	25
37710	3/4-10	2-3/4	25
37711	3/4-10	3	25
37712	3/4-10	3-1/2	25
37713	3/4-10	4	25
37714	3/4-10	4-1/2	25
C39283	3/4-10	6	10
37715	7/8-9	2-1/2	10
C737610	7/8-9	2-3/4	10
37716	7/8-9	3	10
37717	7/8-9	3-1/2	10
C39288	7/8-9	4	5
G737708	1-8	2-1/2	5
37718	1-8	2-3/4	10
37719	1-8	3	10
C737714	1-8	3-1/4	5
37720	1-8	3-1/2	10
C39294	1-8	3-3/4	5
37721	1-8	4	10
C39296	1-8	4-1/2	5
C39297	1-8	5	5
C39298	1-8	6	5
37722	1-1/4-7	4	5
C24043	1-1/4-7	4	25
G737822	1-1/4-7	4-1/2	5
C24044	1-1/4-7	4-1/2	25
C24045	1-1/4-7	5	25
C737824	1-1/4-7	5	5

Grade 5 Plow & Blade Bolts - Zinc

- UNC
- Medium carbon steel
- Through-hardened
- Meets SAE J429 Grade 5 specifications
- 120,000 psi minimum tensile strength
- 3/8" through 1/2" diameters are no. 3 flat head
- 5/8" diameter is no. 3 dome head



Part No.	Dia. - TPI (In.)	Length (In.)	Unit
-33724-1	3/8-16	1	50
-33724-1-1/4	3/8-16	1-1/4	50
-33724-2	3/8-16	1-1/2	50
-33724-4	3/8-16	2	50
-33725-2	7/16-14	1-1/2	50
-33725-3	7/16-14	1-3/4	50
-33725-4	7/16-14	2	50
-33725-6	7/16-14	2-1/2	50
-33725-8	7/16-14	3	50
-33726-1	1/2-13	1-1/2	50
-33726-3	1/2-13	2	50
-33726-5	1/2-13	2-1/2	50
-33726-7	1/2-13	3	50
33729	5/8-11	2	25
33730	5/8-11	2-1/4	25
33731	5/8-11	2-1/2	25
33732	5/8-11	3	25
33733	5/8-11	3-1/2	25

Grade 5 Plow & Blade Bolts - Non-Plated

- Meets SAE J429 Grade 5 specifications
- 3/8" through 1/2" diameters are no. 3 flat head
- 5/8" diameter is no. 3 dome head



Part No.	Dia. - TPI (In.)	Length (In.)	Unit
33740	3/8-16	1	50
33742	3/8-16	1-1/2	50
33744	3/8-16	2	50
33745	7/16-14	1-1/4	50
33746	7/16-14	1-1/2	50
33747	7/16-14	1-3/4	50
33748	7/16-14	2	50
33749	7/16-14	2-1/4	50
33750	7/16-14	2-1/2	50
33751	7/16-14	3	50
33752	1/2-13	1-1/2	50
33754	1/2-13	1-3/4	50
33755	1/2-13	2	50
KP54163	1/2-13	2-1/4	50
33756	1/2-13	2-1/2	50
33757	1/2-13	3	50
C736530	5/8-11	1-1/2	25
33758	5/8-11	1-3/4	25
33759	5/8-11	2	25
33760	5/8-11	2-1/4	25
33761	5/8-11	2-1/2	25
33762	5/8-11	3	25
33763	5/8-11	3-1/2	25
KP70680	5/8-11	4	25

ClearPlus

quality at a value

Clear Plus® Sentinel Series Windshield Products



- Universal preinstalled adapter works with roughly 98% of the cars and trucks on North American roads
- Patented natural rubber formulation is compression molded and meets or exceeds all physical property benchmarks of major global brands
- Adapter mounting pin and saddle are designed to strengthen design outperform competition in salt-spray, stress and wind-tunnel tests

Part No.	Unit	Mini-Pack Part No.	Unit	Wiper Blade Size
BD289041	10	MPBD289041	4	11"
BD289042	10	MPBD289042	4	13"
BD289043	10	MPBD289043	4	15"
BD289044	10	MPBD289044	4	16"
BD289045	10	MPBD289045	4	17"
BD289046	10	MPBD289046	4	18"
BD289047	10	MPBD289047	4	19"
BD289048	10	MPBD289048	4	20"
BD289049	10	MPBD289049	4	21"
BD289051	10	MPBD289051	4	22"
BD289052	10	MPBD289052	4	24"
BD289053	10	MPBD289053	4	26"
BD289054	10	MPBD289054	4	28"

ClearPlus

premium performance

Clear Plus® Signature Series Windshield Products



- Hugs the windshield like a beam blade
- More pressure points (6 for sizes 16" and 17", 8 starting size 18") provide significantly better quality of wipe in comparison to other premium brands
- 1.2 mm galvanized steel frame eliminates wind lift completely

Part No.	Unit	Mini-Pack Part No.	Unit	Wiper Blade Size
BD289055	10	MPBD289055	4	16"
BD289056	10	MPBD289056	4	17"
BD289057	10	MPBD289057	4	18"
BD289058	10	MPBD289058	4	19"
BD289059	10	MPBD289059	4	20"
BD289060	10	MPBD289060	4	21"
BD289061	10	MPBD289061	4	22"
BD289062	10	MPBD289062	4	24"
BD289063	10	MPBD289063	4	26"
BD289064	10	MPBD289064	4	28"

Clear Plus® Winter Wiper Blades


Part No.	Unit	Mini-Pack Part No.	Unit	Winter Wiper Blade Size
BD289066	10	MPBD289066	4	16"
BD289067	10	MPBD289067	4	18"
BD289068	10	MPBD289068	4	20"
BD289069	10	MPBD289069	4	22"
BD289070	10	MPBD289070	4	24"
BD289071	10	MPBD289071	4	26"

Clear Plus® Signature Series Wiper Blade Assortments

Part No.	Description	Unit
BD289072	Wall Rack	1
BD289073	Floor Rack	1

ClearPlus

All Season Beam Wiper Blades



- Jointless, bracketless frame has a lower profile than traditional wiper blades, greatly reducing windlift, noise, vibration and chatter
- Universal fit, all season beam wiper blades

Part No.	Size	Unit
*WIP17161	16" Beam Wiper Blades	5 each
*WIP17171	17" Beam Wiper Blades	5 each
*WIP17181	18" Beam Wiper Blades	5 each
*WIP17191	19" Beam Wiper Blades	5 each
*WIP17201	20" Beam Wiper Blades	5 each
*WIP17211	21" Beam Wiper Blades	5 each
*WIP17221	22" Beam Wiper Blades	5 each
*WIP17241	24" Beam Wiper Blades	5 each
*WIP17261	26" Beam Wiper Blades	5 each
*WIP17281	28" Beam Wiper Blades	5 each

* Items sold through EZ Source

ClearPlus

ClearPlus® ProValue Series Wiper Blades

- All metal frame structure
- Corrosion resistant
- Twin stainless steel flexors
- Universal pre-installed adapter is compatible with: 5 x 7 Bayonet arms, 1" and 3/4" Hook arms, and 3/16" and 1/4" Pin arms

Part No.	Size	Unit
*WIP14161	16" Wiper Blade	10 each
*WIP14171	17" Wiper Blade	10 each
*WIP14181	18" Wiper Blade	10 each
*WIP14191	19" Wiper Blade	10 each
*WIP14201	20" Wiper Blade	10 each
*WIP14211	21" Wiper Blade	10 each
*WIP14221	22" Wiper Blade	10 each
*WIP14241	24" Wiper Blade	10 each

* Items sold through EZ Source



1301 East 9th Street, Cleveland, OH 44114-1824

