


Washers/Stainless Steel

Square Beveled Washers

2295




- Malleable iron
- Non-plated
- For structural and mechanical uses such as shimming and leveling

Part No.	Screw Size	Hole Size (In.)	Square Size (In.)	Unit
32790	¼	⅜	1¼	50
MP32790	¼	⅜	1¼	25
32791	⅜	⅝	1	50
MP32791	⅜	⅝	1	25
32792	⅜	⅝	1¼	50
MP32792	⅜	⅝	1¼	25
32793	½	⅝	1¼	50
MP32793	½	⅝	1¼	10
32794	⅝	1⅞	1½	50
MP32794	⅝	1⅞	1½	10
32795	¾	1⅞	1½	50
MP32795	¾	1⅞	1½	10
32796	¾	1⅞	2	50
MP32796	¾	1⅞	2	10
32797	1	1⅞	2	25
MP32797	1	1⅞	2	10
32798	1¼	1⅞	2½	25

Brake Step Washers

2283

Round Brake Step Washers with Prongs




- Carbon steel
- 13 gauge
- Zinc galvanized plating
- Used with 1/2" diameter bolt

Part No.	Description	Unit
-108-04	Round Brake Step Washers with Prongs	100

Bolt Seats

Bolt Seats

2297




- Carbon steel
- 13 gauge
- Zinc galvanized plating
- Used with 1/2" diameter bolt to secure grating channels to structural supports

Part No.	Description	Unit
-108-02	Bolt Seats	100

316 Cap Screws

316 Stainless Steel Hex Head Cap Screws

4933



- UNC (USS)
- Meets ASTM F593-95 specifications
- Cold worked

Part No.	Dia. - TPI	Length (In.)	Unit
30570	¼-20	½	100
MP30570	¼-20	½	50
30571	¼-20	⅝	100
30572	¼-20	¾	100
MP30572	¼-20	¾	50
-30572-1	¼-20	¾	100
30573	¼-20	1	100
MP30573	¼-20	1	50
30574	¼-20	1¼	100
MP30574	¼-20	1¼	50
30575	¼-20	1½	100
MP30575	¼-20	1½	50
30576	¼-20	1¾	100
MP30576	¼-20	1¾	50
30577	¼-20	2	100
MP30577	¼-20	2	50
-30577-1	¼-20	2¼	100
MP30577-1	¼-20	2¼	25
30578	¼-20	2½	100
MP30578	¼-20	2½	25
-30578-1	¼-20	2¾	100
MP30578-1	¼-20	2¾	25
30579	¼-20	3	100
MP30579	¼-20	3	25
-30579-1	¼-20	3½	50

Part No.	Dia. - TPI	Length (In.)	Unit
MP30579-1	¼-20	3½	25
-30579-2	¼-20	4	50
MP30579-2	¼-20	4	25
KP24846	¼-20	4½	25
KP24847	¼-20	5	25

Part No.	Dia. - TPI	Length (In.)	Unit
30580	⅜-18	½	100
MP30580	⅜-18	½	50
30581	⅜-18	⅝	100
30582	⅜-18	¾	100
-30582-1	⅜-18	¾	100
MP30582	⅜-18	¾	50
30583	⅜-18	1	100
MP30583	⅜-18	1	50
30584	⅜-18	1¼	100
MP30584	⅜-18	1¼	50
30585	⅜-18	1½	100
MP30585	⅜-18	1½	50
30586	⅜-18	1¾	100
MP30586	⅜-18	1¾	50
30587	⅜-18	2	100
MP30587	⅜-18	2	50
30588	⅜-18	2¼	100
MP30588	⅜-18	2¼	25
30589	⅜-18	2½	100
MP30589	⅜-18	2½	25
-30589-1	⅜-18	2¾	100
MP30589-1	⅜-18	2¾	25
-30586-1	⅜-18	3	100
MP30586-1	⅜-18	3	25
-30589-3	⅜-18	3½	50
MP30589-3	⅜-18	3½	10
-30589-4	⅜-18	4	50
MP30589-4	⅜-18	4	10
KP24852	⅜-18	4½	25
KP24853	⅜-18	5	25

Part No.	Dia. - TPI	Length (In.)	Unit
30590	⅜-16	½	100
MP30590	⅜-16	½	50
C24514	⅜-16	⅝	25
30591	⅜-16	¾	100
MP30591	⅜-16	¾	50
KP24856	⅜-16	¾	100
30592	⅜-16	1	100
MP30592	⅜-16	1	50
30593	⅜-16	1¼	100
MP30593	⅜-16	1¼	50
30594	⅜-16	1½	100
MP30594	⅜-16	1½	50
30595	⅜-16	1¾	100
MP30595	⅜-16	1¾	25
30596	⅜-16	2	100
MP30596	⅜-16	2	25
30597	⅜-16	2¼	100
MP30597	⅜-16	2¼	25
30598	⅜-16	2½	50
MP30598	⅜-16	2½	10
-30598-23/4	⅜-16	2¾	50
-30599-3	⅜-16	3	50
MP30599-3	⅜-16	3	10
-30599-2	⅜-16	3½	50

Continued on next page

Fasteners

B 91

Vendor Stocked

Page G-1

Page H-1

Page I-1

Page J-1

Page K-1

Page L-1

Page M-1

Page N-1

Page O-1

MATERIAL HANDLING/
HARDWARE/RUBBER

TOOLS &
ABRASIVES

ELECTRICAL

VEHICLE

SECURITY
PRODUCTS

WELDING

TECHNICAL
DATA

ALPHA
INDEX

PART NO.
INDEX

Stainless Steel

Continued from previous page

Part No.	Dia. - TPI	Length (In.)	Unit
MP30599-2	3/8-16	3 1/2	10
30600	3/8-16	4	50
MP30600	3/8-16	4	10
KP24862	3/8-16	4 1/2	25
KP24863	3/8-16	5	25

Part No.	Dia. - TPI	Length (In.)	Unit
30561	1/2-14	1	50
MP30561	1/2-14	1	10
30562	1/2-14	1 1/4	50
30563	1/2-14	1 1/2	50
MP30563	1/2-14	1 1/2	10
30565	1/2-14	2	50
MP30565	1/2-14	2	10
C24532	1/2-14	2 1/2	10
30567	1/2-14	3	50
MP30567	1/2-14	3	10

Part No.	Dia. - TPI	Length (In.)	Unit
-30600-1	1/2-13	3/4	50
30601	1/2-13	1	50
MP30601	1/2-13	1	25
-30601-11/4	1/2-13	1 1/4	50
MP30601-11/4	1/2-13	1 1/4	25
30602	1/2-13	1 1/2	50
MP30602	1/2-13	1 1/2	25
-30602-13/4	1/2-13	1 3/4	50
MP30602-13/4	1/2-13	1 3/4	25
30603	1/2-13	2	50
MP30603	1/2-13	2	25
-30603-21/4	1/2-13	2 1/4	50
MP30603-21/4	1/2-13	2 1/4	10
30604	1/2-13	2 1/2	50
MP30604	1/2-13	2 1/2	10
-30604-23/4	1/2-13	2 3/4	50
-30604-X	1/2-13	3	50
MP30604-X	1/2-13	3	10
-30604-31/4	1/2-13	3 1/4	25
-30604-1X	1/2-13	3 1/2	25
MP30604-1X	1/2-13	3 1/2	10
-30604-33/4	1/2-13	3 3/4	25
-30604-2X	1/2-13	4	25
MP30604-2X	1/2-13	4	10
-30604-3X	1/2-13	4 1/2	25
-30604-4X	1/2-13	5	25
-30604-51/2	1/2-13	5 1/2	25
-30604-5X	1/2-13	6	25

Part No.	Dia. - TPI	Length (In.)	Unit
-30604-1	5/8-11	1	25
-30604-2	5/8-11	1 1/4	25
-30604-3	5/8-11	1 1/2	25
-30604-4	5/8-11	1 3/4	25
-30604-5	5/8-11	2	25
MP30604-5	5/8-11	2	10
-30604-21/4	5/8-11	2 1/4	10
-30604-7	5/8-11	2 1/2	10
-30604-8	5/8-11	2 3/4	10
-30604-9	5/8-11	3	10
-30604-10	5/8-11	3 1/2	10
-30604-11	5/8-11	4	10
-30604-26	5/8-11	4 1/2	10
-30604-13	5/8-11	5	10
-30604-6	5/8-11	5 1/2	10
-30604-27	5/8-11	6	10

Part No.	Dia. - TPI	Length (In.)	Unit
C24560	3/4-10	1	5
C24561	3/4-10	1 1/4	5
-30604-12	3/4-10	1 1/2	10
-30604-14	3/4-10	2	10
-30604-15	3/4-10	2 1/4	10
-30604-16	3/4-10	2 1/2	10
-30604-17	3/4-10	2 3/4	10
-30604-18	3/4-10	3	10
-30604-25	3/4-10	3 1/4	10
-30604-19	3/4-10	3 1/2	10
-30604-20	3/4-10	4	10
-30604-21	3/4-10	4 1/2	5
-30604-22	3/4-10	5	5
-30604-23	3/4-10	5 1/2	5
-30604-24	3/4-10	6	5

Part No.	Dia. - TPI	Length (In.)	Unit
-30604-30	7/8-9	1 1/2	10
-30604-31	7/8-9	2	10
-30604-32	7/8-9	2 1/2	5
-30604-33	7/8-9	3	5
-30604-34	7/8-9	3 1/2	5
-30604-35	7/8-9	4	5
KP24885	7/8-9	4 1/2	5
-30604-37	7/8-9	5	5
-30604-38	7/8-9	5 1/2	5
-30604-39	7/8-9	6	5

Part No.	Dia. - TPI	Length (In.)	Unit
-30604-40	1-8	2	5
-30604-41	1-8	2 1/2	5
KP24888	1-8	2 1/2	5
-30604-42	1-8	3	5
-30604-43	1-8	3 1/2	5
-30604-44	1-8	4	5
-30604-45	1-8	4 1/2	1
-30604-46	1-8	5	1
-30604-47	1-8	5 1/2	1
-30604-48	1-8	6	1

316 Stainless Steel Hex Nuts ⁴⁹¹⁸




- UNC (USS) or UNF (SAE)
- Cold worked
- Passivated

UNC		UNF		Unit
Part No.	Size (In.)	Part No.	Size (In.)	
30605	1/4-20	30617	1/4-28	100
MP30605	1/4-20	*	1/4-28	50
30606	3/8-18	30618	3/8-24	100
MP30606	3/8-18	*	3/8-24	50
30607	3/8-16	30619	3/8-24	100
MP30607	3/8-16	*	3/8-24	50
30608	1/2-14	*	1/2-20	50
MP30608	1/2-14	*	1/2-20	50

UNC		UNF		Unit
Part No.	Size (In.)	Part No.	Size (In.)	
30609	1/2-13	30621	1/2-20	50
MP30609	1/2-13	*	1/2-20	50
-30609-1	5/8-11	*	5/8-18	50
MP30609-1	5/8-11	*	5/8-18	25
-30609-2	3/4-10	*	3/4-16	50
MP30609-2	3/4-10	*	3/4-16	25
-30609-3	7/8-9	*	7/8-14	25
-30609-4	1-8	*	1-8	25

* Item not available

316 Stainless Steel Flat Washers ⁴⁹²⁰ Narrow



- Meets ANSI/ASME B18.22.1 specifications
- Cold worked
- Passivated

Part No.	Bolt Size (In.)	I.D. (In.)	O.D. (In.)	Thick. (In.)	Unit
30705	No. 4	.125	.312	.032	100
30706	No. 6	.156	.375	.032	100
30707	No. 8	.188	.375	.032	100
30708	No. 10	.203	.450	.032	100
30709	No. 12	.234	.500	.04	100
30710	1/4	.281	.625	.052	100
C24656	1/4	.281	.625	.080	50
30711	3/8	.344	.750	.052	100
C24657	3/8	.344	.750	.086	50
30712	3/8	.406	.812	.062	100
C24658	3/8	.406	.812	.100	25
-30712-1	7/16	.469	1.125	.062	100
C24659	7/16	.469	1.125	.101	25
30713	1/2	.531	1.062	.118	100
C24660	1/2	.531	1.062	.182	10
30714	5/8	.656	1.312	.121	50
30714-T	5/8	.656	1.312	.182	10
30715	3/4	.812	1.469	.134	50
30716	7/8	.935	1.750	.160	25
30717	1	1.062	2.000	.160	25

Fasteners

B 92

☐ Vendor Stocked

Page A-1

Page B-1

Page C-1

Page D-1

Page E-1

Page F-1

ASSORTMENTS & CABINETS

FASTENERS

FITTINGS & HOSE

CHEMICALS

MAINTENANCE & SHOP SUPPLIES

SAFETY SUPPLIES

Stainless Steel


Fasteners

B 93

316 Stainless Steel Flat Washers

4921

Wide



- Meets ANSI/ASME B18.22.1 dimensional specifications
- Cold worked
- Passivated

Part No.	Bolt Size (In.)	I.D. (In.)	O.D. (In.)	Thick. (In.)	Unit
30800	1/4	.312	.734	.062	100
30801	5/16	.375	.875	.083	100
30802	3/8	.391	1.000	.083	100
30803	7/16	.500	1.250	.083	100
30804	1/2	.563	1.250	.062	100
30805	3/8	.688	1.500	.072	50
30806	3/4	.812	1.875	.104	50
MP30806	3/4	.812	1.875	.104	10
30807	7/8	.937	2.250	.104	25
30808	1	1.062	2.500	.119	25

316 Stainless Steel Lock Washers

4917



- Meets ASME B18.21.1 specifications
- Cold worked

Part No.	Bolt Size (In.)	Unit
30720	1/4	100
30721	5/16	100
30722	3/8	100
-30722-1	7/16	100
MP30722-1	7/16	50
30723	1/2	100
MP30723	1/2	50
30724	3/8	50
30725	3/4	25
30726	7/8	25
30727	1	25

18-8 Cap Screws

Stainless Steel (18-8) Hex Head Cap Screws

4974



- UNC (USS) or UNF (SAE)
- Meets ASTM F593-95 specifications
- Cold worked

UNC Part No. TPI-20	UNF Part No. TPI-28	Dia. (In.)	Length (In.)	Unit
92301	*	1/4	3/8	50
92302	92702	1/4	1/2	50
-92302-1	*	1/4	3/8	50
92303	92703	1/4	3/4	50
-92303-1	*	1/4	1/2	50
92304	92704	1/4	1	50
92305	*	1/4	1 1/4	50
*	KP79855	1/4	1 1/4	100
92306	92706	1/4	1 1/2	50
92307	*	1/4	1 3/4	50
92308	92708	1/4	2	50
92309	*	1/4	2 1/4	50
92310	92710	1/4	2 1/2	50
MP92310	*	1/4	2 1/2	25
92311	*	1/4	2 3/4	50
92312	*	1/4	3	50
MP92312	*	1/4	3	25
-92312-1	*	1/4	3 1/4	50
92313	*	1/4	3 1/2	50
MP92313	*	1/4	3 1/2	25
92314	*	1/4	4	50
MP92314	*	1/4	4	25
92315	*	1/4	4 1/2	25
92316	*	1/4	5	25
C24586	*	1/4	6	25

UNC Part No. TPI-18	UNF Part No. TPI-24	Dia. (In.)	Length (In.)	Unit
92318	92718	5/16	1/2	50
-92318-1	*	5/16	3/8	50
92319	92719	5/16	3/4	50
-92319-1	*	5/16	1/2	50
92320	92720	5/16	1	50
92321	92721	5/16	1 1/4	50
MP92321	*	5/16	1 1/4	25
92322	92722	5/16	1 1/2	50
MP92322	*	5/16	1 1/2	25
92323	*	5/16	1 3/4	50
*	*	5/16	1 3/4	25
92324	92724	5/16	2	50
MP92324	*	5/16	2	25
92325	*	5/16	2 1/4	50
92326	92726	5/16	2 1/2	50
MP92326	*	5/16	2 1/2	10
92327	*	5/16	2 3/4	50
92328	*	5/16	3	50
MP92328	*	5/16	3	10
-92328-1	*	5/16	3 1/4	50
92329	*	5/16	3 1/2	50
MP92329	*	5/16	3 1/2	10
92330	*	5/16	4	50
MP92330	*	5/16	4	10
92331	*	5/16	4 1/2	50
92332	*	5/16	5	50
-92332-1	*	5/16	5 1/2	50
92333	*	5/16	6	50

UNC Part No. TPI-16	UNF Part No. TPI-24	Dia. (In.)	Length (In.)	Unit
92334	92734	3/8	1/2	50
-92334-1	*	3/8	3/8	50
92335	92735	3/8	3/4	50
92336	92736	3/8	1	50
92337	*	3/8	1 1/4	50
MP92337	*	3/8	1 1/4	25

UNC Part No. TPI-16	UNF Part No. TPI-24	Dia. (In.)	Length (In.)	Unit
*	KP79877	3/8	1 1/4	100
92338	92738	3/8	1 1/2	50
MP92338	*	3/8	1 1/2	25
92339	*	3/8	1 3/4	25
92340	92740	3/8	2	25
92341	*	3/8	2 1/4	25
92342	92742	3/8	2 1/2	25
MP92342	*	3/8	2 1/2	10
92343	*	3/8	2 3/4	25
92344	*	3/8	3	25
MP92344	*	3/8	3	10
-92344-1	*	3/8	3 1/4	25
92345	*	3/8	3 1/2	25
MP92345	*	3/8	3 1/2	10
-92345-1	*	3/8	3 3/4	25
92346	*	3/8	4	25
MP92346	*	3/8	4	10
92347	*	3/8	4 1/2	25
92348	*	3/8	5	25
92349	*	3/8	5 1/2	25
92350	*	3/8	6	25
-92350-1	*	3/8	6 1/2	25
92351	*	3/8	8	25

UNC Part No. TPI-14	UNF Part No. TPI-20	Dia. (In.)	Length (In.)	Unit
-92385-1	*	7/16	3/4	25
-92385-2	-92785-2	7/16	1	25
MP92385-2	*	7/16	1	10
92386	*	7/16	1 1/4	25
92387	92787	7/16	1 1/2	25
MP92387	*	7/16	1 1/2	10
92388	*	7/16	1 3/4	25
92390	92790	7/16	2	25
MP92390	*	7/16	2	10
-92390-3	*	7/16	2 1/4	25
-92390-1	*	7/16	2 1/2	25
MP92390-1	*	7/16	2 1/2	10
-92390-2	*	7/16	3	25
MP92390-2	*	7/16	3	10
92391	*	7/16	3 1/2	25
MP92391	*	7/16	3 1/2	10
-92391-1	*	7/16	4	25
92392	*	7/16	4 1/2	10
-92392-1	*	7/16	5	10

UNC Part No. TPI-13	UNF Part No. TPI-20	Dia. (In.)	Length (In.)	Unit
92352	*	1/2	3/4	25
92354	92754	1/2	1	25
92355	*	1/2	1 1/4	25
*	KP79884	1/2	1 1/4	50
92358	92755	1/2	1 1/2	25
92359	*	1/2	1 3/4	25
92360	92760	1/2	2	25
MP92360	*	1/2	2	10
92361	*	1/2	2 1/4	25
92362	*	1/2	2 1/2	25
MP92362	*	1/2	2 1/2	10
*	KP79888	1/2	2 1/2	50
92363	*	1/2	2 3/4	25
92364	92764	1/2	3	25
MP92364	*	1/2	3	10

Continued on next page

Vendor Stocked

Page G-1

Page H-1

Page I-1

Page J-1

Page K-1

Page L-1

Page M-1

Page N-1

Page O-1

MATERIAL HANDLING/
HARDWARE/RUBBER

TOOLS &
ABRASIVES

ELECTRICAL

VEHICLE

SECURITY
PRODUCTS

WELDING

TECHNICAL
DATA

ALPHA
INDEX

PART NO.
INDEX

Stainless Steel

Continued from previous page

UNC Part No.	UNF Part No.	Dia. (In.)	Length (In.)	Unit
TPI-13	TPI-20			
-92364-1	*	½	3¼	25
92365	*	½	3½	25
MP92365	*	½	3½	10
92366	*	½	4	25
MP92366	*	½	4	10
-92366-1	*	½	4½	10
92367	*	½	5	10
-92367-1	*	½	5½	10
92368	*	½	6	10
92369	*	½	7	10

UNC Part No.	UNF Part No.	Dia. (In.)	Length (In.)	Unit
TPI-12	TPI-18			
92370	*	⅝	2½	25

UNC Part No.	UNF Part No.	Dia. (In.)	Length (In.)	Unit
TPI-11	TPI-18			
92371	*	⅝	1	10
92372	*	⅝	1¼	10
92373	*	⅝	1½	10
92374	*	⅝	1¾	10
92375	*	⅝	2	10
92376	*	⅝	2¼	10
92377	*	⅝	2½	10
92378	*	⅝	2¾	10
92379	*	⅝	3	10
92380	*	⅝	3½	10
92381	*	⅝	4	10
92382	*	⅝	4½	10
92383	*	⅝	5	10
92384	*	⅝	5½	10
92385	*	⅝	6	10

UNC Part No.	UNF Part No.	Dia. (In.)	Length (In.)	Unit
TPI-10	TPI-16			
92393	*	¾	1½	10
92394	*	¾	1¾	10
92395	*	¾	2	10
92396	*	¾	2¼	10
92397	*	¾	2½	10
92398	*	¾	2¾	10
92399	*	¾	3	10
-92399-1	*	¾	3¼	10
92400	*	¾	3½	10
92401	*	¾	4	10
-92401-1	*	¾	4½	10
92402	*	¾	5	10
-92402-1	*	¾	5½	10
92403	*	¾	6	10
92404	*	¾	7½	10


UNC Part No.	UNF Part No.	Dia. (In.)	Length (In.)	Unit
TPI-9	TPI-14			
92405	*	⅞	1½	5
92407	*	⅞	2	5
92409	*	⅞	2½	5
92411	*	⅞	3	5
92413	*	⅞	3½	5

UNC Part No.	UNF Part No.	Dia. (In.)	Length (In.)	Unit
TPI-9	TPI-14			
92415	*	⅞	4	5
92416	*	⅞	4½	5
92417	*	⅞	5	5
92418	*	⅞	5½	5
92419	*	⅞	6	5

UNC Part No.	UNF Part No.	Dia. (In.)	Length (In.)	Unit
TPI-8	TPI-14			
92420	*	1	2	5
-92420-1	*	1	2½	5
92421	*	1	3	5
-92421-1	*	1	3½	5
92422	*	1	4	5
-92422-1	*	1	4½	5
92423	*	1	5	5
-92423-1	*	1	5½	5
92424	*	1	6	1

* Item Not Available
* Not F-573

Stainless Steel (18-8) Hex Nuts ⁴⁹⁶⁷




- UNC (USS) or UNF (SAE)
- Meets ANSI/ASME B18.6.3 dimensional specifications
- Cold worked
- Passivated

UNC Part No.	Size (In.)	UNF Part No.	Size (In.)	Unit
KP77822	No. 2-56	*		50
93602	No. 4-40	*	No. 4-48	100
93603	No. 6-32	*	No. 6-40	100
93604	No. 8-32	*	No. 8-36	100
93605	No. 10-24	93607	No. 10-32	100
-93605-2	No. 12-24	*	No. 12-32	100
93606	¼-20	92806	¼-28	100
MP93606	¼-20	*	¼-28	50
**KP1123	¼-20	*		50
93609	⅝-18	92809	⅝-24	100
MP93609	⅝-18	*	⅝-24	50
93611	¾-16	92811	¾-24	100
MP93611	¾-16	*	¾-24	50
-93611-1	¾-14	92812	¾-20	100
MP93611-1	¾-14	*	¾-20	25
93613	⅞-13	92813	⅞-20	100
MP93613	⅞-13	*	⅞-20	25
93614	⅞-11	*	⅞-18	50
MP93614	⅞-11	*	⅞-18	25
93615	⅞-10	*	⅞-16	25
93616	⅞-9	*	⅞-14	25
MP93616	⅞-14	*	⅞-14	10
93617	1-8	*	1-14	25
MP93617	1-8	*	1-14	5

* Item not available
** Thin style for machine screws

Stainless Steel (18-8) Flat Washers ⁴⁹⁵⁹

Narrow




- Meets ANSI/ASME B 18.22.1 dimensional specifications
- 304 stainless steel
- Cold worked
- Passivated

Part No.	Bolt Size	I.D. (In.)	O.D. (In.)	Thick. (In.)	Unit
KP77670	No. 2	.094	.188	.025	100
93760	No. 4	.125	.312	.032	100
93761	No. 6	.156	.375	.089	100
93762	No. 8	.188	.438	.049	100
93763	No. 10	.131	.500	.049	100
93764	No. 12	.257	.562	.065	100
93765	¼	.281	.625	.065	100
93766	⅝	.344	.688	.065	100
93767	¾	.406	.812	.065	100
-93767-1	¾	.469	.922	.065	100
MP93767-1	¾	.469	.922	.065	50
93769	½	.531	1.062	.095	100
MP93769	½	.531	1.062	.095	50
93770	¾	.656	1.312	.095	50
93771	¾	.812	1.469	.134	25
-93771-7/8	¾	.938	1.750	.134	25
-93771-1	1	1.062	2.000	.134	25

Stainless Steel (18-8) Flat Washers ⁴⁹⁶¹

Wide



- Meets ANSI/ASME B 18.22.1 dimensional specifications
- 304 stainless steel
- Cold worked
- Passivated

Part No.	Bolt Size	I.D. (In.)	O.D. (In.)	Thick. (In.)	Unit
KP77824	No. 2	.094	.250	.032	100
KP71055	No. 6	.156	.438	.041	100
KP71056	No. 8	.188	.437	.041	100
KP71057	⅝	.203	.50	.041	100
93700	¼	.312	.734	.065	100
93701	⅝	.375	.875	.088	100
93702	¾	.438	1.000	.083	100
93703	⅞	.500	1.250	.083	100
93704	1	.562	1.375	.109	100
93705	¾	.688	1.750	.134	50
93706	¾	.812	2.000	.148	50
93707	¾	.938	2.250	.165	25
93708	1	1.062	2.500	.165	25

Fasteners

B 94

Vendor Stocked

Page A-1

Page B-1

Page C-1

Page D-1

Page E-1

Page F-1

ASSORTMENTS & CABINETS

FASTENERS

FITTINGS & HOSE

CHEMICALS

MAINTENANCE & SHOP SUPPLIES

SAFETY SUPPLIES

Stainless Steel

Stainless Steel (18-8) Lock Washers

4960



- Cold worked
- Passivated
- Non-linking type

Part No.	Bolt Size	Unit
KP77826	No. 2	100
93772	No. 4	200
93773	No. 6	200
93774	No. 8	200
93775	No. 10	100
93776	No. 12	100
93777	¼	100
93778	⅜	100
93779	½	100
-93779-1	⅜	100
MP93779-1	⅜	50
93781	½	100
MP93781	½	50
93782	⅝	50
93783	¾	25
93784	⅞	25
93785	1	25

Bolts

Stainless Steel (18-8) Carriage Bolts

4976



- UNC (USS)
- Meets ANSI/ASME B18.5 specifications except threaded to the square
- 302 or 304 stainless steel
- Passivated
- Round head/square neck

UNC (USS) Part No.	Dia.-TPI	Length (In.)	Unit
93301	¼-20	¾	25
93302	¼-20	1	25
C31273	¼-20	1¼	50
93303	¼-20	1½	25
93304	¼-20	2	25
93305	¼-20	2½	25
93306	¼-20	3	25
93307	¼-20	4	25

UNC (USS) Part No.	Dia.-TPI	Length (In.)	Unit
93310	⅝-18	¾	25
93311	⅝-18	1	25
KP549	⅝-18	1¼	50
93312	⅝-18	1½	25


UNC (USS) Part No.	Dia.-TPI	Length (In.)	Unit
93313	⅝-18	2	25
93314	⅝-18	2½	25
93315	⅝-18	3	25
93316	⅝-18	3½	25
93317	⅝-18	4	25

UNC (USS) Part No.	Dia.-TPI	Length (In.)	Unit
93321	⅝-16	¾	25
93322	⅝-16	1	25
KP561	⅝-16	1¼	25
93323	⅝-16	1½	25
93324	⅝-16	2	25
93325	⅝-16	2½	25
93326	⅝-16	3	25
93327	⅝-16	3½	25
93328	⅝-16	4	25

UNC (USS) Part No.	Dia.-TPI	Length (In.)	Unit
93334	½-13	1	25
93335	½-13	1½	25
93336	½-13	2	25
93337	½-13	2½	25
93338	½-13	3	25
93339	½-13	3½	25
93340	½-13	4	25
93341	½-13	5	25

Stainless Steel (18-8) U-Bolts

4970



- Type 304 cold drawn stainless steel
- NC2A rolled threads
- Includes two (2) Type 304 stainless steel hex nuts
- Ideal for hanging pipe and joists, securing scaffolding, and reinforcements

U-Bolt Part No.	Dia. - TPI	U-Bolt Dimensions			Pipe Size (In.)	Unit
	A (In.)	C (In.)	B (In.)	T (In.)		
92153	¼-20	1	1¼	1	½	5
92154	¼-20	1¼	2	1	¾	5
92156	¼-20	1½	2¾	1¾	1	5
92157	¼-20	1¾	3	1¾	1¼	5
92158	¼-20	2	3¼	1¾	1½	5

U-Bolt Part No.	Dia. - TPI	U-Bolt Dimensions			Pipe Size (In.)	Unit
	A (In.)	C (In.)	B (In.)	T (In.)		
92168	⅝-16	1½	2½	1¼	1	2
92169	⅝-16	1¾	2¾	1½	1¼	2
92170	⅝-16	2	2¾	1¾	1½	2
92171	⅝-16	2½	3¾	1¾	2	2
92172	⅝-16	3	3¾	1¾	2½	2

Stainless Steel (18-8) U-Bolt Plates



- Type 304 cold drawn stainless steel
- Rounded edges
- Plate holes are punched "on-centers" of corresponding size U-Bolt
- Plate dimensions for U-Bolt diameters: 1/4" and 5/16" — .078" gauge/.075" width
- 3/8" — .109" gauge/1.000" width


Plate Part No.	U-Bolt Part No.	Dia. - TPI (In.)	Pipe Size (In.)	Unit
-92153-1	92153	¼-20	½	5
-92154-1	92154	¼-20	¾	5
-92156-1	92156	¼-20	1	5
-92157-1	92157	¼-20	1¼	5
-92158-1	92158	¼-20	1½	5

Plate Part No.	U-Bolt Part No.	Dia. - TPI (In.)	Pipe Size (In.)	Unit
-92168-1	92168	⅝-16	1	2
-92170-1	92170	⅝-16	1½	2
-92171-1	92171	⅝-16	2	2
-92172-1	92172	⅝-16	2½	2

Socket Screws

316 Stainless Steel Socket Head Cap Screws

4914



- UNC (USS) or UNF (SAE)

UNC Part No.	UNF Part No.	Dia.	Length (In.)	Unit
63500	*	No. 8	¾	50
63501	*	No. 8	½	50
63502	*	No. 8	⅝	50
63503	*	No. 8	¾	50
63504	*	No. 8	1	50

UNC Part No.	UNF Part No.	Dia.	Length (In.)	Unit
63505	63510	No. 10	¾	50
63506	63511	No. 10	½	50
63507	63512	No. 10	⅝	50
63508	63513	No. 10	¾	50
63509	63514	No. 10	1	50

Continued on next page

Fasteners

B 95

Vendor Stocked

Page G-1

Page H-1

Page I-1

Page J-1

Page K-1

Page L-1

Page M-1

Page N-1

Page O-1

MATERIAL HANDLING/
HARDWARE/RUBBER

TOOLS &
ABRASIVES

ELECTRICAL

VEHICLE

SECURITY
PRODUCTS

WELDING

TECHNICAL
DATA

ALPHA
INDEX

PART NO.
INDEX

Stainless Steel

Continued from previous page

Fasteners

B 96

UNC Part No.	UNF Part No.	Dia.	Length (In.)	Unit
TPI-20	TPI-28			
63515	*	¼	¾	50
63516	*	¼	½	50
63517	*	¼	⅝	50
63518	*	¼	¾	50
63519	*	¼	1	50
63520	*	¼	1¼	25
63521	*	¼	1½	25
63522	*	¼	1¾	25
63523	*	¼	2	25

UNC Part No.	UNF Part No.	Dia.	Length (In.)	Unit
TPI-18	TPI-24			
63524	*	⅜	½	25
63525	*	⅜	¾	25
63526	*	⅜	¾	25
63527	*	⅜	¾	25
63528	*	⅜	1	25
63529	*	⅜	1¼	10
63530	*	⅜	1½	10
63531	*	⅜	1¾	10
63532	*	⅜	2	10
63533	*	⅜	2½	10

UNC Part No.	UNF Part No.	Dia.	Length (In.)	Unit
TPI-16	TPI-24			
63534	*	⅜	½	10
63535	*	⅜	¾	10
63536	*	⅜	¾	10
63537	*	⅜	1	10
63538	*	⅜	1¼	10
63539	*	⅜	1½	10
63540	*	⅜	1¾	10
63541	*	⅜	2	10
63542	*	⅜	2½	10

UNC Part No.	UNF Part No.	Dia.	Length (In.)	Unit
TPI-13	TPI-20			
63543	*	½	¾	10
63544	*	½	1	10
63545	*	½	1¼	10
63546	*	½	1½	10
63547	*	½	1¾	10
63548	*	½	2	10
63549	*	½	2½	10
63550	*	½	3	10


UNC Part No.	UNF Part No.	Dia.	Length (In.)	Unit
TPI-11	TPI-18			
63551	*	⅝	1¼	5
63552	*	⅝	1½	5
63554	*	⅝	2	5
63555	*	⅝	2½	5
63556	*	⅝	3	5

UNC Part No.	UNF Part No.	Dia.	Length (In.)	Unit
TPI-10	TPI-16			
63557	*	¾	2	1
63558	*	¾	3	1
63559	*	¾	4	1

*Item not available

Stainless Steel (18-8) Socket Head Cap Screws

4975



- UNC (USS) or UNF (SAE)
- Meets ANSI/ASME B.18.3 specifications
- 302, 304 or XM7 stainless steel
- Passivated

UNC Part No.	UNF Part No.	Dia.	Length (In.)	Unit
TPI-56	TPI-64			
92102	*	No. 2	¼	100
92104	*	No. 2	⅜	100
92107	*	No. 2	¾	100

UNC Part No.	UNF Part No.	Dia.	Length (In.)	Unit
TPI-40	TPI-48			
92109	*	No. 4	⅜	50
92110	*	No. 4	¼	50
92111	*	No. 4	⅜	50
92112	*	No. 4	¾	50
92113	*	No. 4	½	50
92114	*	No. 4	⅝	50
92115	*	No. 4	¾	50
92117	*	No. 4	1	25
92118	*	No. 4	1¼	25
92119	*	No. 4	1½	25

UNC Part No.	UNF Part No.	Dia.	Length (In.)	Unit
TPI-40	TPI-44			
92121	*	No. 5	⅝	50

UNC Part No.	UNF Part No.	Dia.	Length (In.)	Unit
TPI-32	TPI-40			
-92000-1	*	No. 6	⅜	50
92000	*	No. 6	¼	50
92001	*	No. 6	⅜	50
-92001-1	*	No. 6	¾	50
-92001-2	*	No. 6	⅜	50
92002	*	No. 6	½	50
92003	*	No. 6	⅝	50
92004	*	No. 6	¾	50
-92004-1	*	No. 6	¾	25
-92004-2	*	No. 6	1	25
-92004-3	*	No. 6	1¼	10
-92004-4	*	No. 6	1½	10
-92004-6	*	No. 6	2	10

UNC Part No.	UNF Part No.	Dia.	Length (In.)	Unit
TPI-32	TPI-36			
-92005-3	*	No. 8	⅜	50
92006	*	No. 8	¼	25
92005	*	No. 8	⅜	25
-92005-1	*	No. 8	¾	25
92007	*	No. 8	⅜	25
92008	*	No. 8	½	25
92009	*	No. 8	⅝	25
92010	*	No. 8	¾	25

UNC Part No.	UNF Part No.	Dia.	Length (In.)	Unit
TPI-32	TPI-36			
92011	*	No. 8	⅜	25
92012	*	No. 8	1	25
92013	*	No. 8	1¼	10
92014	*	No. 8	1½	10
-92014-2	*	No. 8	1¾	10
-92014-1	*	No. 8	2	10

UNC Part No.	UNF Part No.	Dia.	Length (In.)	Unit
TPI-24	TPI-32			
-92014-3	93013	No. 10	¼	50
92015	93015	No. 10	⅜	25
92016	93016	No. 10	½	25
92017	93017	No. 10	⅝	25
92018	93018	No. 10	¾	25
92019	-93018-1	No. 10	¾	25
92020	93020	No. 10	1	25
92021	93021	No. 10	1¼	25
92022	93022	No. 10	1½	25
92023	93023	No. 10	1¾	10
-92023-1	93024	No. 10	2	10

UNC Part No.	UNF Part No.	Dia.	Length (In.)	Unit
TPI-20	TPI-28			
-92024-3	*	¼	¼	50
92024	-92037-8	¼	⅜	50
-92024-1	*	¼	⅜	25
92025	-92037-2	¼	½	25
92027	-92037-3	¼	⅝	25
92028	-92037-4	¼	¾	25
92029	*	¼	¾	25
92030	-92037-5	¼	1	25
92031	-92037-6	¼	1¼	25
92032	-92037-7	¼	1½	25
92033	*	¼	1¾	25
92034	*	¼	2	25
-92034-1	*	¼	2¼	25
92035	*	¼	2½	10
92036	*	¼	3	10
92037	*	¼	3½	10
-92037-1	*	¼	4	10

UNC Part No.	UNF Part No.	Dia.	Length (In.)	Unit
TPI-18	TPI-24			
92038	*	⅜	¾	25
92039	*	⅜	½	25
-92039-1	*	⅜	¾	25
92040	92050	⅜	¾	25
92041	-92050-1	⅜	1	25
92042	*	⅜	1¼	25
92043	-92051-1	⅜	1½	25
92044	*	⅜	1¾	25
92045	*	⅜	2	25
92046	*	⅜	2¼	25
92047	*	⅜	2½	10
92049	*	⅜	3	10

UNC Part No.	UNF Part No.	Dia.	Length (In.)	Unit
TPI-16	TPI-24			
92052	*	⅜	½	10
92053	*	⅜	⅝	10
92054	92072	⅜	¾	10
-92056-1	*	⅜	¾	10
92056	*	⅜	1	10

Continued on next page

☐ Vendor Stocked

Page A-1

Page B-1

Page C-1

Page D-1

Page E-1

Page F-1

ASSORTMENTS & CABINETS

FASTENERS

FITTINGS & HOSE

CHEMICALS

MAINTENANCE & SHOP SUPPLIES

SAFETY SUPPLIES

Stainless Steel

Fasteners

B
97

Continued from previous page

UNC Part No.	UNC TPI	UNC Dia.	UNC Length (In.)	UNC Unit
92057	24	3/8	1 1/4	10
92058	24	3/8	1 1/2	10
-92058-1	*	3/8	1 1/4	10
92059	*	3/8	2	10
92060	*	3/8	2 1/4	10
92061	*	3/8	2 1/2	10
92063	*	3/8	3	10

UNC Part No.	UNC TPI	UNC Dia.	UNC Length (In.)	UNC Unit
92084	20	1/2	3/4	10
-92084-1	*	1/2	3/8	10
92085	*	1/2	1	10
92086	*	1/2	1 1/4	10
92087	*	1/2	1 1/2	10
92088	*	1/2	1 3/4	10
92089	*	1/2	2	10
92090	*	1/2	2 1/4	10
92091	*	1/2	2 1/2	10
92093	*	1/2	3	10


UNC Part No.	UNC TPI	UNC Dia.	UNC Length (In.)	UNC Unit
92094	18	5/8	1	25
92095	18	5/8	1 1/4	25
92096	18	5/8	1 1/2	25
92097	18	5/8	1 3/4	25
92098	18	5/8	2	25
92099	18	5/8	2 1/2	10
-92099-1	*	5/8	3	10

UNC Part No.	UNC TPI	UNC Dia.	UNC Length (In.)	UNC Unit
-92099-2	*	3/4	1 1/4	10
-92099-3	*	3/4	1 1/2	10
-92099-4	*	3/4	1 3/4	5
-92099-6	*	3/4	2 1/2	5
-92099-7	*	3/4	3	5

* Items Not Available

Stainless Steel (18-8) Socket Flat Countersunk Head Cap Screws

6377



- Meets ANSI/ASME B18.3 specifications
- 302, 304, or XM7 stainless steel
- Passivated

UNC Part No.	UNC Dia. - TPI	UNC Length (In.)	UNC Unit
C629042	No. 2-56	3/16	100
C629044	No. 2-56	1/4	100
C629046	No. 2-56	5/16	100
C629048	No. 2-56	3/8	100

UNC Part No.	UNC Dia. - TPI	UNC Length (In.)	UNC Unit
63820	No. 4-40	1/4	100
C629076	No. 4-40	5/16	100

UNC Part No.	UNC Dia. - TPI	UNC Length (In.)	UNC Unit
63821	No. 4-40	3/8	100
63822	No. 4-40	1/2	100
C629086	No. 4-40	5/8	100
C629088	No. 4-40	3/4	100

UNC Part No.	UNC Dia. - TPI	UNC Length (In.)	UNC Unit
63824	No. 6-32	1/4	100
C629102	No. 6-32	5/16	100
63825	No. 6-32	3/8	100
-63825-1	No. 6-32	7/16	100
63826	No. 6-32	1/2	100
63827	No. 6-32	5/8	100
63828	No. 6-32	3/4	100
C629114	No. 6-32	1	100

UNC Part No.	UNC Dia. - TPI	UNC Length (In.)	UNC Unit
-63828-1	No. 8-32	1/4	100
C629142	No. 8-32	5/16	100
63829	No. 8-32	3/8	100
63830	No. 8-32	1/2	100
63831	No. 8-32	5/8	100
63832	No. 8-32	3/4	100
63833	No. 8-32	1	100

UNC Part No.	UNC Dia. - TPI	UNC Length (In.)	UNC Unit
63835	No. 10-24	3/8	100
63836	No. 10-24	1/2	100
63837	No. 10-24	5/8	100
63838	No. 10-24	3/4	100
63839	No. 10-24	1	100
63840	No. 10-24	1 1/4	100
63841	No. 10-24	1 1/2	100

UNC Part No.	UNC Dia. - TPI	UNC Length (In.)	UNC Unit
63845	No. 10-32	3/8	100
63846	No. 10-32	1/2	100
63847	No. 10-32	5/8	100
63848	No. 10-32	3/4	100
63849	No. 10-32	1	100
63850	No. 10-32	1 1/4	100
63851	No. 10-32	1 1/2	100

UNC Part No.	UNC Dia. - TPI	UNC Length (In.)	UNC Unit
63855	1/4 - 20	3/8	100
63856	1/4 - 20	1/2	100
MP63856	1/4 - 20	1/2	50
63857	1/4 - 20	5/8	100
MP63857	1/4 - 20	5/8	50
63858	1/4 - 20	3/4	100
MP63858	1/4 - 20	3/4	50
-63858-1	1/4 - 20	7/8	100
63859	1/4 - 20	1	100
MP63859	1/4 - 20	1	50
63860	1/4 - 20	1 1/4	100
MP63860	1/4 - 20	1 1/4	25
63861	1/4 - 20	1 1/2	100
MP63861	1/4 - 20	1 1/2	25
-63861-1	1/4 - 20	1 3/4	50
-63861-2	1/4 - 20	2	50
-63861-21/2	1/4 - 20	2 1/2	50

UNC Part No.	UNC Dia. - TPI	UNC Length (In.)	UNC Unit
63863	1/4 - 28	1/2	100
63864	1/4 - 28	1	100

UNC Part No.	UNC Dia. - TPI	UNC Length (In.)	UNC Unit
63865	5/16 - 18	1/2	100
MP63865	5/16 - 18	1/2	25
63866	5/16 - 18	5/8	100
63867	5/16 - 18	3/4	100
MP63867	5/16 - 18	3/4	25
63868	5/16 - 18	1	100
MP63868	5/16 - 18	1	25
63869	5/16 - 18	1 1/4	100
MP63869	5/16 - 18	1 1/4	25
63870	5/16 - 18	1 1/2	100
MP63870	5/16 - 18	1 1/2	25
63871	5/16 - 18	1 3/4	50
63872	5/16 - 18	2	50
63873	5/16 - 18	2 1/2	50
KP89550	5/16 - 18	3	10

UNC Part No.	UNC Dia. - TPI	UNC Length (In.)	UNC Unit
KP89551	3/8 - 16	1/2	25
63875	3/8 - 16	3/4	50
MP63875	3/8 - 16	3/4	25
63876	3/8 - 16	1	50
MP63876	3/8 - 16	1	25
63877	3/8 - 16	1 1/4	50
MP63877	3/8 - 16	1 1/4	25
63878	3/8 - 16	1 1/2	50
MP63878	3/8 - 16	1 1/2	25
63879	3/8 - 16	1 3/4	50
63880	3/8 - 16	2	50

UNC Part No.	UNC Dia. - TPI	UNC Length (In.)	UNC Unit
63881	1/2 - 13	3/4	25
63882	1/2 - 13	1	25
63883	1/2 - 13	1 1/4	25
63884	1/2 - 13	1 1/2	25
63885	1/2 - 13	1 3/4	25
63886	1/2 - 13	2	25
-63886-21/2	1/2 - 13	2 1/2	25
-63886-3	1/2 - 13	3	25

UNC Part No.	UNC Dia. - TPI	UNC Length (In.)	UNC Unit
63890	5/8 - 11	1	5
63891	5/8 - 11	1 1/4	5
63892	5/8 - 11	1 1/2	5
63893	5/8 - 11	2	5
63894	5/8 - 11	2 1/2	5
-63894-1	5/8 - 11	2 3/4	5
63895	5/8 - 11	3	5

Vendor Stocked

Page G-1

Page H-1

Page I-1

Page J-1

Page K-1

Page L-1

Page M-1

Page N-1

Page O-1

MATERIAL HANDLING/
HARDWARE/RUBBER

TOOLS &
ABRASIVES

ELECTRICAL

VEHICLE

SECURITY
PRODUCTS

WELDING

TECHNICAL
DATA


ALPHA
INDEX

PART NO.
INDEX

Stainless Steel

Stainless Steel (18-8) Socket Button Head Cap Screws

4966



- UNC (USS) or UNF (SAE)
- Meets ANSI/ASME B18.3 specifications
- 302, 304 or XM7 stainless steel
- Passivated

Fasteners

UNC Part No.	Dia. - TPI	Length (In.)	Unit
-93039-3	No. 2-56	1/8	100
93041	No. 2-56	1/4	100
93043	No. 2-56	3/8	100
93045	No. 2-56	1/2	100

UNC Part No.	Dia. - TPI	Length (In.)	Unit
93050	No. 4-40	1/4	50
93051	No. 4-40	3/8	100
93052	No. 4-40	1/2	50
93054	No. 4-40	3/4	50
93055	No. 4-40	1	100
93056	No. 4-40	1 1/4	50
93058	No. 4-40	1 1/2	50

UNC Part No.	Dia. - TPI	Length (In.)	Unit
93061	No. 6-32	3/8	100
93062	No. 6-32	1/2	50
93063	No. 6-32	3/4	50
93064	No. 6-32	1	50
93066	No. 6-32	1 1/2	50
93067	No. 6-32	2	50
93068	No. 6-32	2 1/2	50
93070	No. 6-32	3	50

UNC Part No.	Dia. - TPI	Length (In.)	Unit
93074	No. 8-32	1/4	100
-93074-1	No. 8-32	3/8	100
93075	No. 8-32	1/2	50
93076	No. 8-32	3/4	50
93077	No. 8-32	1	50
93078	No. 8-32	1 1/4	50
93079	No. 8-32	1 1/2	50

UNC Part No.	Dia. - TPI	Length (In.)	Unit
93082	No. 10-24	1/4	50
93084	No. 10-24	3/8	50
93085	No. 10-24	1/2	50
93086	No. 10-24	3/4	50
93087	No. 10-24	1	50
-93087-1	No. 10-24	1 1/4	100
93088	No. 10-24	1 1/2	50
93089	No. 10-24	2	50
-93089-1	No. 10-24	2 1/2	50

UNF Part No.	Dia. - TPI	Length (In.)	Unit
93092	No. 10-32	1/4	50
93093	No. 10-32	3/8	50
93094	No. 10-32	1/2	50
93095	No. 10-32	3/4	50
93096	No. 10-32	1	50
93097	No. 10-32	1 1/4	50
-93097-1	No. 10-32	1 1/2	50

UNF Part No.	Dia. - TPI	Length (In.)	Unit
93098	No. 10-32	1	50
-93098-1	No. 10-32	1 1/4	25
93099	No. 10-32	1 1/2	25
-93099-2	No. 10-32	2	25

UNC Part No.	Dia. - TPI	Length (In.)	Unit
93105	1/4 - 20	3/8	25
93106	1/4 - 20	1/2	25
-93106-1	1/4 - 20	3/4	100
93107	1/4 - 20	1	25
-93107-1	1/4 - 20	1 1/4	25
93108	1/4 - 20	1 1/2	25
-93108-1	1/4 - 20	1 3/4	50
93109	1/4 - 20	2	25
-93109-1	1/4 - 20	2 1/4	50
93110	1/4 - 20	2 1/2	25

UNC Part No.	Dia. - TPI	Length (In.)	Unit
93122	3/16 - 18	1/2	50
93123	3/16 - 18	3/4	50
93124	3/16 - 18	1	50
93125	3/16 - 18	1 1/4	50
93126	3/16 - 18	1 1/2	50
93127	3/16 - 18	1 3/4	50
93128	3/16 - 18	2	50
93129	3/16 - 18	2 1/2	50

UNC Part No.	Dia. - TPI	Length (In.)	Unit
93111	3/8 - 16	3/4	50
93112	3/8 - 16	1	50
93113	3/8 - 16	1 1/4	50
93114	3/8 - 16	1 1/2	50

UNC Part No.	Dia. - TPI	Length (In.)	Unit
93115	1/2 - 13	1	10
93116	1/2 - 13	1 1/4	10
93117	1/2 - 13	1 1/2	10

Stainless Steel (18-8) Socket Head Shoulder Screws

4971



- UNC (USS)
- Meets ANSI/ASME B18.3 specifications
- 302, 303 or 304 stainless steel
- Cold worked
- Passivated

Part No.	Shoulder Dia.		Shoulder Lgth. (In.)	Unit
	(In.)	Thread Size		
93401	1/4	10-24 x 3/8	3/8	10
93402	1/4	10-24 x 3/8	1/2	10
93403	1/4	10-24 x 3/8	5/8	10
93404	1/4	10-24 x 3/8	3/4	10

Part No.	Shoulder Dia. (In.)	Thread Size	Shoulder Lgth. (In.)	Unit
93405	1/4	10-24 x 3/8	1	10
93406	1/4	10-24 x 3/8	1 1/4	10
93407	1/4	10-24 x 3/8	1 1/2	10

Part No.	Shoulder Dia. (In.)	Thread Size	Shoulder Lgth. (In.)	Unit
93410	3/16	1/4-20 x 3/16	1/4	10
93411	3/16	1/4-20 x 3/16	3/8	10
93412	3/16	1/4-20 x 3/16	1/2	10
93413	3/16	1/4-20 x 3/16	3/4	10
93414	3/16	1/4-20 x 3/16	1	10
93415	3/16	1/4-20 x 3/16	1 1/4	10
93416	3/16	1/4-20 x 3/16	1 1/2	10
93417	3/16	1/4-20 x 3/16	2	10

Part No.	Shoulder Dia. (In.)	Thread Size	Shoulder Lgth. (In.)	Unit
93420	3/8	3/16-18 x 1/2	3/8	10
93421	3/8	3/16-18 x 1/2	1/2	10
93422	3/8	3/16-18 x 1/2	3/4	10
93423	3/8	3/16-18 x 1/2	1	10
93424	3/8	3/16-18 x 1/2	1 1/4	10
93425	3/8	3/16-18 x 1/2	1 1/2	5
93426	3/8	3/16-18 x 1/2	2	5

Part No.	Shoulder Dia. (In.)	Thread Size	Shoulder Lgth. (In.)	Unit
93430	1/2	3/8-16 x 3/8	3/4	5
93431	1/2	3/8-16 x 3/8	1	5
93432	1/2	3/8-16 x 3/8	1 1/4	5
93433	1/2	3/8-16 x 3/8	1 1/2	5
93434	1/2	3/8-16 x 3/8	2	5

316 Stainless Steel Socket Set Screws

4915

Cup Point Type



- UNC (USS) or UNF (SAE)
- Meets ANSI/ASME B18.3 specifications
- Cold worked
- Passivated

UNC Part No.	UNF Part No.	TPI	Dia.	Length (In.)	Unit
63560	*	40	No. 4	1/8	50
63562	*	48	No. 4	1/4	50

UNC Part No.	UNF Part No.	TPI	Dia.	Length (In.)	Unit
63563	*	32	No. 6	1/8	50
63564	*	40	No. 6	3/16	50
63565	*	48	No. 6	1/4	50
63566	*	32	No. 6	3/8	50
63567	*	40	No. 6	1/2	50

Continued on next page

☐ Vendor Stocked

Page A-1

ASSORTMENTS & CABINETS

Page B-1

FASTENERS

Page C-1

FITTINGS & HOSE

Page D-1

CHEMICALS

Page E-1

MAINTENANCE & SHOP SUPPLIES

Page F-1

SAFETY SUPPLIES

Stainless Steel

Fasteners

B
99

Continued from previous page

UNC Part No.	UNF Part No.	Dia.	Length (In.)	Unit
TPI-32	TPI-36			
63569	*	No. 8	¼	50

UNC Part No.	UNF Part No.	Dia.	Length (In.)	Unit
TPI-24	TPI-32			
63570	*	No. 10	⅜	50
63571	*	No. 10	½	50
63572	*	No. 10	⅝	50
63573	*	No. 10	¾	50
63574	*	No. 10	1	50
63576	*	No. 10	¾	25

UNC Part No.	UNF Part No.	Dia.	Length (In.)	Unit
TPI-20	TPI-28			
63584	*	¼	⅜	25
63585	*	¼	½	25
63586	*	¼	⅝	25
63587	*	¼	¾	25
63588	*	¼	1	25
63590	*	¼	¾	25
63591	*	¼	1	25

UNC Part No.	UNF Part No.	Dia.	Length (In.)	Unit
TPI-18	TPI-24			
63592	*	⅜	½	25
63593	*	⅜	⅝	25
63594	*	⅜	¾	25
63595	*	⅜	1	25
63597	*	⅜	¾	25
63598	*	⅜	1	25

UNC Part No.	UNF Part No.	Dia.	Length (In.)	Unit
TPI-16	TPI-24			
63600	*	⅜	⅝	25
63601	*	⅜	¾	25
63602	*	⅜	1	25
63603	*	⅜	¾	25
63604	*	⅜	1	25
63605	*	⅜	1	25

UNC Part No.	UNF Part No.	Dia.	Length (In.)	Unit
TPI-13	TPI-20			
63606	*	½	½	25
63607	*	½	¾	25
63608	*	½	1	25
63609	*	½	1	25

UNC Part No.	UNF Part No.	Dia.	Length (In.)	Unit
TPI-11	TPI-18			
63610	*	⅜	½	5
63611	*	⅜	¾	5
63612	*	⅜	1	5

UNC Part No.	UNF Part No.	Dia.	Length (In.)	Unit
TPI-10	TPI-16			
63613	*	¼	¾	1
63614	*	¼	1	1

* Item not available

NOTE: Part numbers prefixed with NS are sold through our Industrial Supply Division (ISD).

Stainless Steel (18-8) Socket Set Screws

4973

Cup Point Type



- UNC (USS) or UNF (SAE)
- Meets ANSI/ASME B18.3 specifications
- Passivated

UNC Part No.	UNF Part No.	Dia.	Length (In.)	Unit
TPI-40	TPI-48			
93901	*	No. 4	½	50
93902	*	No. 4	⅝	50
93903	*	No. 4	¾	50
93905	*	No. 4	¾	50
93906	*	No. 4	1	50

UNC Part No.	UNF Part No.	Dia.	Length (In.)	Unit
TPI-32	TPI-40			
93908	*	No. 6	⅝	50
93909	*	No. 6	¾	50
93910	*	No. 6	¾	50
93911	*	No. 6	¾	50
93912	*	No. 6	¾	50
93913	*	No. 6	¾	50
93915	*	No. 6	¾	50

UNC Part No.	UNF Part No.	Dia.	Length (In.)	Unit
TPI-32	TPI-36			
93917	*	No. 8	½	50
93918	*	No. 8	⅝	50
93919	*	No. 8	¾	50
93920	*	No. 8	¾	50
93921	*	No. 8	¾	50
93922	*	No. 8	¾	50
93924	*	No. 8	¾	50

UNC Part No.	UNF Part No.	Dia.	Length (In.)	Unit
TPI-24	TPI-32			
*	93990	No. 10	½	50
93926	93991	No. 10	⅝	50
93927	93992	No. 10	¾	50
93929	93994	No. 10	¾	50
93930	93995	No. 10	¾	50
-93930-1	93996	No. 10	¾	50
93931	93997	No. 10	¾	50
*	93998	No. 10	1	50
KP89603	*	No. 10	1	25

UNC Part No.	UNF Part No.	Dia.	Length (In.)	Unit
TPI-20	TPI-28			
93934	*	¼	¾	50
93935	93970	¼	1	50
93936	*	¼	¾	50
93937	93971	¼	¾	50
93938	93972	¼	¾	50
-93937-1	*	¼	¾	50

UNC Part No.	UNF Part No.	Dia.	Length (In.)	Unit
TPI-20	TPI-28			
93939	*	¼	¾	50
93941	*	¼	1	25
93942	*	¼	1¼	25

UNC Part No.	UNF Part No.	Dia.	Length (In.)	Unit
TPI-18	TPI-24			
93946	*	⅜	½	50
93947	*	⅜	⅝	50
93948	*	⅜	¾	50
93949	*	⅜	¾	50
93950	*	⅜	¾	50
93951	*	⅜	¾	50
93952	*	⅜	1	25

UNC Part No.	UNF Part No.	Dia.	Length (In.)	Unit
TPI-16	TPI-24			
KP89627	*	⅜	½	25
93960	*	⅜	¾	50
93961	*	⅜	¾	50
93962	*	⅜	¾	50
93963	*	⅜	¾	25
93964	*	⅜	1	25
93965	*	⅜	1¼	25

UNC Part No.	UNF Part No.	Dia.	Length (In.)	Unit
TPI-13	TPI-20			
93980	*	½	½	25
93981	*	½	¾	25
93983	*	½	¾	25
93982	*	½	1	25

* Item Not Available

Machine Screws

Stainless Steel (18-8) Machine Screws

4003

Hex Head



- UNC (USS) or UNF (SAE)

UNC Part No.	Dia. - TPI	Length (In.)	Unit
94350	No. 6-32	¼	100
94351	No. 6-32	⅜	100
94352	No. 6-32	½	100
94353	No. 6-32	⅝	100
94354	No. 6-32	¾	100
94355	No. 6-32	1	100
94356	No. 6-32	1¼	100
94357	No. 6-32	1½	100

UNC Part No.	Dia. - TPI	Length (In.)	Unit
94358	No. 8-32	¼	100
94359	No. 8-32	⅜	100
94360	No. 8-32	½	100
94361	No. 8-32	¾	100

Continued on next page

Vendor Stocked

Page G-1

Page H-1

Page I-1

Page J-1

Page K-1

Page L-1

Page M-1

Page N-1

Page O-1

MATERIAL HANDLING/
HARDWARE/RUBBER

TOOLS &
ABRASIVES

ELECTRICAL

VEHICLE

SECURITY
PRODUCTS

WELDING

TECHNICAL
DATA

ALPHA
INDEX

PART NO.
INDEX

Stainless Steel


Continued from previous page

UNC Part No.	Dia. - TPI	Length (In.)	Unit
94362	No. 8-32	¾	100
94363	No. 8-32	1	100
94364	No. 8-32	1¼	100
94365	No. 8-32	1½	100

UNC Part No.	Dia. - TPI	Length (In.)	Unit
94367	No. 10-24	¾	100
94368	No. 10-24	½	100
94369	No. 10-24	⅝	100
94370	No. 10-24	¾	100
94371	No. 10-24	1	100
94372	No. 10-24	1¼	100
94373	No. 10-24	1½	100

UNF Part No.	Dia. - TPI	Length (In.)	Unit
94374	No. 10-32	¼	100
94375	No. 10-32	⅜	100
94376	No. 10-32	½	100
94377	No. 10-32	⅝	100
94378	No. 10-32	¾	100
94379	No. 10-32	1	100
94380	No. 10-32	1¼	100
94381	No. 10-32	1½	100

Stainless Steel (18-8) Machine Screws ⁴⁹⁴⁹ Slotted Round Head



• UNC (USS) or UNF (SAE)

UNC Part No.	Dia. - TPI	Length (In.)	Unit
92600	No. 4-40	¼	50
92601	No. 4-40	⅜	50
92602	No. 4-40	½	50
92604	No. 4-40	¾	50
92605	No. 4-40	1	50

UNC Part No.	Dia. - TPI	Length (In.)	Unit
92610	No. 6-32	¼	50
92611	No. 6-32	⅜	50
92612	No. 6-32	½	50
92613	No. 6-32	⅝	50
92614	No. 6-32	¾	50
92616	No. 6-32	1	50
92617	No. 6-32	1¼	50
92618	No. 6-32	1½	50
92619	No. 6-32	1¾	50

UNC Part No.	Dia. - TPI	Length (In.)	Unit
92620	No. 8-32	¼	50
92621	No. 8-32	⅜	50
92621-1	No. 8-32	⅞	50
92622	No. 8-32	½	50
92623	No. 8-32	⅝	50
92624	No. 8-32	¾	50

UNC Part No.	Dia. - TPI	Length (In.)	Unit
92625	No. 8-32	1	50
92626	No. 8-32	1¼	25
92627	No. 8-32	1½	25
92628	No. 8-32	1¾	25
92629	No. 8-32	2	25

UNC Part No.	Dia. - TPI	Length (In.)	Unit
92634	No. 10-24	¼	50
92635	No. 10-24	⅜	50
92636	No. 10-24	½	50
92638	No. 10-24	¾	50
92639	No. 10-24	1	50
92640	No. 10-24	1¼	25
92641	No. 10-24	1½	25
92642	No. 10-24	1¾	25
92643	No. 10-24	2	25

UNF Part No.	Dia. - TPI	Length (In.)	Unit
92654	No. 10-32	¼	50
92655	No. 10-32	⅜	50
92656	No. 10-32	½	50
92657	No. 10-32	⅝	50
92658	No. 10-32	¾	50
92658-1	No. 10-32	⅞	50
92659	No. 10-32	1	50
92660	No. 10-32	1¼	25
92661	No. 10-32	1½	25
92662	No. 10-32	1¾	25
92663	No. 10-32	2	25

UNC Part No.	Dia. - TPI	Length (In.)	Unit
92665	No. 12-24	⅜	50
92666	No. 12-24	½	50
92667	No. 12-24	¾	50
92668	No. 12-24	1	50
92669	No. 12-24	1¼	50
92670	No. 12-24	1½	50
92672	No. 12-24	2	50


UNC Part No.	Dia. - TPI	Length (In.)	Unit
92685	¼-20	⅜	25
92686	¼-20	½	25
92687	¼-20	⅝	25
92688	¼-20	¾	25
92689	¼-20	1	25
92690	¼-20	1¼	25
92691	¼-20	1½	25
92693	¼-20	2	25
-92694-1	¼-20	2½	25
92695	¼-20	3	25
92696	¼-20	3½	25
92697	¼-20	4	25

UNC Part No.	Dia. - TPI	Length (In.)	Unit
92698	⅝-18	½	25
-92698-1	⅝-18	¾	25
-92698-2	⅝-18	1	25
-92698-3	⅝-18	1½	25
-92698-4	⅝-18	1¾	25

Stainless Steel (18-8) Machine Screws

4977

Phillips Pan Head



• UNC (USS) or UNF (SAE)

UNC Part No.	Dia. - TPI	Length (In.)	Unit
-94650-4	No. 4-40	¾	50
94651	No. 4-40	¼	50
-94651-1	No. 4-40	⅜	50
94652	No. 4-40	¾	50
-94652-1	No. 4-40	⅞	50
94653	No. 4-40	½	50
-94653-1	No. 4-40	⅝	50
94654	No. 4-40	¾	50
-94654-1	No. 4-40	⅞	50
94655	No. 4-40	1	50
-94655-1	No. 4-40	1¼	50
-94655-2	No. 4-40	1½	50

UNC Part No.	Dia. - TPI	Length (In.)	Unit
94656	No. 6-32	⅜	50
94657	No. 6-32	¼	50
-94657-1	No. 6-32	⅜	50
94658	No. 6-32	⅝	50
-94658-1	No. 6-32	⅞	50
94659	No. 6-32	½	50
-94659-1	No. 6-32	⅝	50
94660	No. 6-32	¾	50
-94660-1	No. 6-32	⅞	50
94661	No. 6-32	1	50
-94661-1	No. 6-32	1¼	50
94662	No. 6-32	1½	50
-94662-1	No. 6-32	1¾	50
-94662-2	No. 6-32	2	50

UNC Part No.	Dia. - TPI	Length (In.)	Unit
94663	No. 8-32	¼	50
-94663-1	No. 8-32	⅜	50
94664	No. 8-32	⅝	50
94665	No. 8-32	½	50
-94665-1	No. 8-32	⅝	50
94666	No. 8-32	¾	50
-94666-1	No. 8-32	⅞	50
94667	No. 8-32	1	50
94668	No. 8-32	1¼	25
94669	No. 8-32	1½	25
94670	No. 8-32	1¾	100
94671	No. 8-32	2	25
C38149	No. 8-32	2½	50

UNC Part No.	Dia. - TPI	Length (In.)	Unit
94672	No. 10-24	¼	50
94673	No. 10-24	⅜	50
-94673-1	No. 10-24	⅞	50
94674	No. 10-24	½	50

Continued on next page

Fasteners

B 100

☐ Vendor Stocked

Page A-1

ASSORTMENTS & CABINETS

Page B-1

FASTENERS

Page C-1

FITTINGS & HOSE

Page D-1

CHEMICALS

Page E-1

MAINTENANCE & SHOP SUPPLIES

Page F-1

SAFETY SUPPLIES