

Epoxy Repair

Loctite® Superior Metal Epoxy

6691



- Ferro-silicon-filled epoxy
- Renews and protects metal surfaces subject to harsh conditions
- Non-rusting with excellent chemical resistance
- After cure, can be machined, drilled, tapped, sanded and finished
- Tensile strength: 5,500 psi (ultimate cure)
- Maximum operating temperature: 250°F
- Color: Dark Gray

Part No.	Contents	Mix Ratio by Volume/Weight r:h	Cure Time Working/Functional	Unit
22039	1 lb. kit	4:1 / 7.25:1	20 mins. / 6 hrs.	6

Sure Mix Epoxy Adhesive

2148



- Metering syringe dispenser
- Dispenses exact proportions of two part epoxy automatically
- Fast drying — 5-minute set time
- Adheres to almost all materials except some plastics
- Resists gas, oil and grease
- Clear drying
- Temperature range: -65°F to 250°F
- 2000 psi tensile strength
- Seals leaks, fills holes and cracks
- Can be drilled, tapped, filed, sanded

Part No.	Description	Unit
22022	1 fl. oz Syringe	1

* No split units.

2 Ton Clear Epoxy

20861



- Dual plunger dispenser automatically measures correct proportions of resin and hardener
- Adheres to iron, steel, aluminum, bronze, brass, wood, ceramic, glass, nylon, phenolic carbide and concrete
- Convenient—eliminates the use of two separate tubes

Part No.	Set Time	Size	Shear Strength	Maximum Temperature	Unit
KP71722	30 Min.	25 ml	2,250 lbs.	200 deg.	5

Loctite® Aluminum Putty

6692



- Non-rusting, aluminum-filled epoxy
- Non-shrinking epoxy can be machined and finished
- Repairs and rebuilds aluminum parts
- Offers good corrosion protection
- Tensile strength: 4,000 psi (ultimate cure)
- Maximum operating temperature: 225°F
- Color: Aluminum

Part No.	Contents	Mix Ratio by Volume/Weight r:h	Cure Time Working/Functional	Unit
22034	1 lb. kit	4:1 / 6.3:1	20 mins. / 6 hrs.	1

"Plastic Steel" Steel Filled Epoxy

20872



- 1 lb. container
- Contains 80% pure steel for outstanding strength
- Hardens to an extremely rigid metallic material so hard that it can be drilled, tapped, filed or ground
- Excellent for repairing leaky pipes, broken castings, damaged tanks, filling cracks or any metal to metal bonding where the strength of a steel filled epoxy is needed

Part No.	Description	Set Time	Unit
KP71716	Standard	30 Min.	1

All Purpose Epoxies

Loctite® All-Purpose Epoxy & Fast Cure Epoxy

2145



- Super strength two-part epoxy formula; 4,000 psi tensile strength; provides permanent repairs; no costly rework
- Wide temperature range of -65°F to 180°F
- Multi-application chemistry for bonding most metal, plastics, rubber, wood, ceramics, glass and stone; works well on porous surfaces
- Solvent resistant properties ideal for hostile environment applications
- Weatherproof formula withstands most weather conditions; ideal for outdoor applications; long service life
- Convenient mixercup package allows you to carry a premeasured, job-sized quantity anywhere and mix fresh adhesive on the spot; eliminates both the need to measure and the mess; saves time mixing and cleaning up jobsite

Part No.	Contents	Unit
22023	(Fast Cure) .12 fl. oz. (mixercup)	1 can (10 mixercups per can)
C84937	1 oz. (mixercup)	1 can (10 mixercups per can)

All Purpose sets in 1-1/2 hours, cures in 24 hours
Fast Cure sets in 15 minutes, cures in 12 hours

Mark 5 Epoxy System

20846

- Advanced, two part adhesives featuring a simple and efficient dispensing system offer solutions to a multitude of maintenance and repair applications
- Easy to load and use dispensing gun (KP83856) with mixing nozzles (KP83857) eliminates the guess work and excessive waste and time normally associated with manually weighing, mixing and applying two part adhesives



5 Minute Epoxy

- A rapid curing, general purpose adhesive/encapsulant
- Bonds rigid, durable substrates such as metals, ceramics, glass, concrete and wood
- Working time 3-6 minutes—full cure 16 hours
- Viscosity 10,000 cps
- Tensile shear strength 2,500 P.S.I. (ASTM D1002)
- Temperature range of -40°F to 200°F

Part No.	Contents	Unit
KP83852	50 ml. cartridge only	1

Continued on next page

D
71

Chemicals

Vendor Stocked

Page G-1

Page H-1

Page I-1

Page J-1

Page K-1

Page L-1

Page M-1

Page N-1

Page O-1

MATERIAL HANDLING/
HARDWARE/RUBBER

TOOLS &
ABRASIVES

ELECTRICAL

VEHICLE

SECURITY
PRODUCTS

WELDING

TECHNICAL
DATA

ALPHA
INDEX

PART NO.
INDEX

Epoxy Repair

Continued from previous page

2 Ton Epoxy

- A high strength, non-shrinking adhesive formulated for high clarity, impact strength and water resistance
- Bonds ferrous and non-ferrous metals, wood, concrete, ferrites and ceramics
- Working time 8-10 minutes—full cure 16 hours
- Viscosity 8,000 cps
- Tensile shear strength 2,250 P.S.I. (ASTM D1002)
- Temperature range of -40°F to 200°F

Part No.	Contents	Unit
KP83853	50 ml. cartridge only	1

Plastic Welder II

- Toughened structural acrylic adhesive specially formulated for bonding difficult to bond materials such as nylon, epoxy composites and standard plastics
- Effectively bonds PVC, fiberglass, vinyls, ABS, FRP, epoxy coated surfaces, galvanized metal and wood
- Working time 15-20 minutes—full cure 24 hours
- Mixed viscosity—non sagging gel
- Tensile shear strength—grit blasted steel—1,400 P.S.I. (ASTM D1002)
- Temperature range: -67°F to 250°F

Part No.	Contents	Unit
KP83854	50 ml. cartridge only	1

Mark 5 Epoxy Accessories

20847

Applicator Gun



- Accepts all 50 ml. Mark 5 two part adhesive cartridges
- Heavy-duty steel construction assures maximum durability and eliminates the need to replace worn plungers

Part No.	Contents	Unit
KP83856	Applicator Gun	1

Mixing Nozzles



- Efficient and thorough mixing of two part adhesives as the product is pumped through nozzles
- Nozzle tip can be cut to various diameter openings

Part No.	Contents	Unit
KP83857	Mixing Nozzle	5

Fast Cure Epoxy Putty Tape

2146



- Two-part epoxy putty compound — ideal for filling deep surface cavities; works where other adhesives won't
- High-strength formula — repairs are permanent; no costly rework
- Can be drilled, tapped, filed or sanded when completely cured
- Multi-application chemistry — ideal for bonding most metals, plastics, rubber, ceramics and most all porous surfaces; ideal for numerous industrial/commercial applications
- Solvent resistant properties — ideal for hostile environment applications
- Weatherproof formula — withstands most weather conditions; ideal for outdoor applications; long service life
- Withstands up to 250°F

Part No.	Contents	Unit
22024 (Fast Cure)	1" x 36" roll 3.52 oz. net wt.	1

Sets in 8 minutes, cures in 15 minutes

Loctite® Fixmaster Fast Cure Poxy Pak Epoxy (Clear)

21196




- Fast curing, non-shrinking colourless epoxy in convenient 2-part dispensing syringe
- Temperature range up to 93° C
- Resists most solvents
- Versatile and shock resistant
- Sets up in 4-6 minutes forming a tough waterproof bond
- Bonds metal and many plastic parts
- Useful for filling holes and indentations in surfaces
- Bonds trim, ornaments, tools, etc.

Part No.	Loctite Old Part No.	Loctite New Part No.	Description	Unit
+CD554059	QM50A	81120	1 fl. oz. Syringe	1

+Canada only

Quick Setting Epoxy Adhesive

2147



- Fast drying — cures in 5 minutes; minimizes downtime
- Two-part epoxy compound — ideal for filling deep surface cavities; works where other adhesives won't
- Clear drying — permits use on any color surface without discoloration; no costly extra touch-up work
- High-strength formula — repairs are permanent; no costly rework
- Wide temperature range of -65°F to 180°F
- Multi-application chemistry — ideal for bonding most metals, wood, most plastics, rubber, ceramics and most all porous surfaces; ideal for numerous industrial/commercial applications
- Solvent resistant properties — ideal for hostile environment applications
- Weatherproof formula — withstands most weather conditions; ideal for outdoor applications; long service life
- Premeasured twin-pack pouches — assures exact ratio of resin to hardener; repairs stay repaired; no costly rework

Part No.	Contents	Unit
BD4001	3.5 grams net wt	10 pouches

Pro Weld® Cold Welding Epoxy Compounds

6615



- Two-part, high strength adhesive
- Repairs defects in metal and non-metallic material
- Resists temperatures -65° to +300°F
- Can be drilled, machined and sanded after curing
- Resistant to water, oil, gasoline and shop solvents
- Regular and quick setting options
- Dark gray appearance
- Two 1-oz. tubes

Part No.	Type	Fixtures	Full Cure	Unit
22036	Regular	60 mins.	12-24 hrs.	1
22037	Quick	5 mins.	1-12 hrs.	1

D
72

Chemicals

☐ Vendor Stocked

Page A-1

ASSORTMENTS
& CABINETRY

Page B-1

FASTENERS

Page C-1

FITTINGS & HOSE

Page D-1

CHEMICALS

Page E-1

MAINTENANCE &
SHOP SUPPLIES

Page F-1

SAFETY SUPPLIES

Epoxy Repair/Maintenance & Repair/Janitorial Products

Double/Bubble - High Performance Adhesives

32737



- Fast, Convenient, On-The-Spot Repairs in One-Shot Packets
- The different job packets are color coded for the application
- Epoxy:
 - Red: General Repairs for just about anything; 3 minute work time (BD4001)
 - Red non-sag: Fast vertical & overhead repairs; 3 minute work time (BD4008)
 - Green: Transparent adhesive & coating; 120 minute work time (BD4004)
 - Blue: Move things around before it sets; 120 minute work time (BD4005)
 - Orange: Tough, permanent repairs; 180 minute work time (BD4007)
- Mixing sticks included
- Application / Use instructions included

Part No.	Color	Contents	Unit
BD4001	Red	3.5 grams net wt	10 pouches
BD4008	Red (non-sag)	Epoxy: Non-Sag	10 pouches
BD4004	Green	Epoxy: Clear-Impact resistant	10 pouches
BD4005	Blue	Epoxy: GP-More work time	10 pouches
BD4007	Orange	Epoxy: Flexible, vibration resistant	10 pouches

General Maintenance

Liquid Electrical Tape

30528



- Forms a protective vinyl coating that remains pliable, effectively sealing out moisture from all types of electrical connections
- Prevents the formation of corrosion that can weaken and lead to failure of electrical circuits
- Non-toxic, non-flammable and odor free for a safer product and a cleaner environment
- Excellent for quickly repairing nicked or worn wire in hard to reach areas where roll tape would be impractical
- Temperature range of -10° to 220°F
- Easily applied with its brush top lid; ideal for sealing crimp style butt connectors and terminals, wire nuts, push nuts, etc.

Part No.	Contents	Unit
KP82743	4 oz. brush top bottle	1

Fix Wood Patch

20859



- Repair holes and gouges in wood
- High solids content minimizes shrinkage because this product is made from wood powder
- Cures in 60 minutes for small holes and 6 hours for large holes
- Use indoors or outdoors; accepts paint and stain; sands without clogging sandpaper
- Accepts screws and nails without splitting or cracking

Part No.	Color	Size	Unit
⊞KP7138-1	Natural	4 oz.	1
⊞KP7139-1	Oak	4 oz.	1

PL Premium Wood Glue

20857



- Polyurethane, moisture cure adhesive that requires no mixing
- Contains no solvents so there will be no shrinkage or odor after cure
- 100% waterproof, weather resistant, high degree of chemical resistance, paintable, stainable, sandable, heat resistant to 400° F
- Will bond wood, metal, concrete, stone, marble, foam, etc.
- Use 1/2 ounce per square foot, as this glue cures a gap filling foam will appear and the color will go from amber to tan when cured

Part No.	Size	Unit
⊞KP7136	4 oz.	6

NOTE: Sold through our Sourcing Solutions Group (SSG) only.

Bowman/Loctite® Emergency O-Ring Kit

2185



- Contains all necessary components for making o-rings — on-the-spot repairs are quick and easy; no additional parts to buy
- Buna N rubber cord stock — meets SAE 120 class 1, ASTM-SB-712 and MIL-P-251732 specifications; proven performance for most all vehicle, commercial and industrial applications
- High-impact plastic measuring/splicing fixture — withstands abusive use; long service life
- Includes Super Glue® adhesive — strong, permanent bonding of cord stock; no costly rework

Part No.	Contents	Unit
22015	1 splicing/measuring fixture 1/8", 3/16" & 1/4" x 3-ft. cord stock 1.10 fl. oz. tube of Super Glue® 1 cutting blade® 1 cutting blade	1 Kit

O-Ring Cord Stock

Buna-N Rubber, 3-ft. length
For use with Emergency O-Ring Kit No. 22015

Part No.	Dia. (In.)	Unit
22016	1/8	1
-22016-1	3/32	1
22017	3/16	1
22018	1/4	1
22019	5/16	1

Odor Eliminators

Metered Air Freshener System

36132



Concentrated Dry Spray Refills for Automatic Dispensers

- Neutralizes Odors
- Long Lasting Control
- Dry Spray, No Fallout
- Leaves a pleasant scent
- Non-Staining
- Non-Chlorinated, No CFC's
- 30% VOC — meets the California requirement for single phase products, therefore, that is a 40% VOC reduction over most competitors.
- Use anywhere odor is a problem: Kitchen, Break room, Restroom, Lobby, Office, Entrance area, locker room, hospitals, smoking areas, nursing homes and more

Continued on next page

D
73

Chemicals

⊞Vendor Stocked

Page G-1

Page H-1

Page I-1

Page J-1

Page K-1

Page L-1

Page M-1

Page N-1

Page O-1

MATERIAL HANDLING/
HARDWARE/RUBBER

TOOLS &
ABRASIVES

ELECTRICAL

VEHICLE

SECURITY
PRODUCTS

WELDING

TECHNICAL
DATA

ALPHA
INDEX

PART NO.
INDEX

Janitorial Products

Continued from previous page Automatic Metered Dispenser

- Light sensor for day and night signal
- Operation indicator light
- Programmable Interval

Part No.	Description	Unit
77100	Metered, Fresh Linen	12
77101	Metered, Lemon Ice	12
77102	Metered, Dispenser	1

Mint Air Freshener

16305



- Pleasant air freshener masks bad odors with a fresh, mint fragrance
- Eliminates odors from garbage, smoking, cooking smells and more
- Perfect for lavatories, hotels/motels, elevators, kitchens, hospitals/nursing homes, reception areas, meeting rooms, etc.

Part No.	Contents	Unit
BD1017	20 oz. aerosol; 17 oz. net wt.	12

Air Freshener

20540



D
74

Chemicals

- Eliminates airborne odors caused by garbage, cigar smoke, mildew, urine, chemicals, sewage, etc.
- Eliminates trapped odors in fabrics such as clothing, carpeting, upholstery, even delicate fabrics without staining
- Use in restaurants, nursing homes, motels, hospitals, washrooms, garbage cans, etc.
- Trilingual label also complies with the new 30% VOC regulations
- Totally dry spray eliminates wet and messy fallout
- Can sprays from any angle

Part No.	Scent	Contents	Unit
KP417-1	Vanilla	20 fl oz. can	1
KP419-1	Orange	20 fl oz. can	1
KP1208-1	Cinnamon	20 fl oz. can	1

Vendor Stocked

Page A-1

Page B-1

Page C-1

Page D-1

Page E-1

Page F-1

ASSORTMENTS
& CABINETRY

FASTENERS

FITTINGS & HOSE

CHEMICALS

MAINTENANCE &
SHOP SUPPLIES

SAFETY SUPPLIES

Misty® Bio-Power Industrial Odor Eliminator

15260



- A 4-strain biological organism chemical treatment
- Biodegrades greases, fats, soaps, food particles, sugar, starch, proteins, animal wastes and carbohydrates
- Eliminates most obnoxious odors such as tobacco, mold and mildew
- Controls hydrogen sulfide odors; consumes organic waste matter and sulfur compounds
- Contains no acids or alkalies and is non-pathogenic and Salmonella free
- Hazy amber color with sweet fragrance
- Use in hospitals, clinics, nursing homes, schools, restaurants, restrooms, kennels, dairies, breweries for grease traps, drain lines, sewage plants, septic plants
- Dilution ratio: up to 1:10
- For general odor control: Spray directly on the source of the malodor
- Deodorizing: 4 to 8 oz. product per gallon of water
- Carpet/fabric deodorizing: dilute 4 to 8 oz. product per gallon of water or other cleaning solution
- Grease traps, drain lines, septic and chemical tanks: 32 oz. product per 150 gallons of system volume
- Not recommended for use in chemical toilet applications

Part No.	Contents	Unit
C26302	1 quart (.95 L)	12

The Eliminator

6187



- Eliminates odor
- Non-toxic
- Biodegradable
- Environmentally safe
- Use anywhere malodors occur, including all vehicle interiors, waste disposal containers, garages and hospital facilities.

Part No.	Contents	Unit
*50111	682 ml net wt. plastic bottle pump spray	1

*Part numbers available in Canada only

Toilet Bowl Block

20526



- Spring tension plastic clip holds block in place even during cleaning of toilet bowl
- 3.5 oz. block fights odors up to 30 days
- Para block with cherry fragrance

Part No.	Contents	Unit
KP84	Toilet Bowl Blocks, 12 pack	1

Urinal Screen with Enzyme Block

20531



- Pliable non-splash screen traps debris, cleans and deodorizes in one easy step
- Special enzymes deodorize and clean the urinal for up to 30 days
- Cherry fragrance
- 3.5 oz block weight

Part No.	Contents	Unit
KP83	Urinal Screen w/Enzyme Block, 12 pack	1

The Eliminator Ultra Fine Odor Neutralizing Powder

20546



- Industrial strength neutralizing powder effectively absorbs unpleasant odors
- Fine crystalline powder is nearly invisible, eliminating the need to vacuum immediately
- Anti-mildew quality is 25% more effective than competitive water soluble products in reducing bacterial contamination
- Non-toxic, non-flammable
- Will not cake or clump when exposed to wetness
- Effective against: raw sewage, smoke, mildew, animal odors, all food odors, chemicals, etc.

Part No.	Contents	Unit
KP75568-1	Ultra Fine Odor Neutralizing Powder	1

Janitorial Products

Restroom Cleaners

Misty® BioDet BCA Bowl Cleaner

3189



- One-step cleaner, disinfectant, sanitizer and deodorizer
- Use on all restroom surfaces and toilet bowl maintenance
- Phosphoric acid formula with chelating agents to stop soap scum and hard water deposits in their tracks
- Hospital strength formula - EPA registered as a germicide and sanitizer (see label for full details)
- Kills odor source; does not mask
- Mold and mildew control
- Use as directed
- Concentrated formula can be diluted

Part No.	Contents	Unit
77185	1 U.S. Gallon Plastic jug	4
77186	1 Quart Container	12

Specifications:

Odor: Sassafras fragrance
 Color: Turquoise blue opaque liquid
 Type: Phosphoric acid base with chelating agents
 Weight per Gallon: 8.75 lbs.
 pH: 0.5 (undiluted)

Misty® PCB - 20 Bowl Cleaner

15261



- The ideal product for use when hydrochloric acid cleaners are too strong and non-acid cleaners won't get the job done!
- This thickened 20% phosphoric acid cleaner clings to vertical surfaces
- Improves dwell time to clean and brighten bowls, urinals, metals, brass, chrome, copper, fiberglass and more
- Green color with wintergreen fragrance - cleans and deodorizes
- Ready to use
- C2 compounds for use in toilets and or dressing rooms
- pH: <2

Part No.	Contents	Unit
C26294	1 quart (.95 L)	12

Drain Cleaners

Halt Alkaline Drain Opener

15258



- Powerful and fast acting sulfuric acid drain opener that dissolves and liquefies hair, paper, grease, tobacco, tea bags and other organic obstructions to quickly clear plugged drains
- Personal protection equipment is required when using this product
- Colorless, clear to cloudy liquid with acid odor
- Dilution Ratio: The following are maximum dosage recommendations and should not be exceeded; less product may be sufficient, depending on the kind of stoppage and material to be dissolved
- Note: Do not use on aluminum; Do not allow this product to remain for more than a few minutes in contact with stainless steel or chrome, since discoloration is possible

Drain Size	Product Amount/ Time	Flushing Recommendations
Small drains	8 oz./5 min.	Flush for 2-3 min.
3"-4" drains	1 qt./15 min.	Flush for 5 min.
6"-8" drains	½ gal./15 min.	Flush for 5 min.
Septic tanks	1 gal. per 500 gal. capacity	Pour into drain

Part No.	Contents	Unit
77192	1 quart (.95 L)	12

Drain Maintain

20525



- Four strain enzyme producing bacteria which digests organic waste and reduces solids while controlling odors
- When used regularly, keeps drain lines, grease traps, plumbing systems flowing freely
- Use in grease traps, drain lines, down pipes, porta-toilets, septic tanks, RV vehicles, sump pumps, marinas, wet wells, etc.
- Instant odor control for animal waste, spoiled foods, foul odors, gases, garbage cans, vomit, etc.
- Digest wastes in plumbing systems, cesspools, treatment plants, drainfields, oil field slush pits, holding tanks, etc. etc.
- Four strains of aerobic and anaerobic bacteria which liquefies fats, proteins, carbohydrates, grease, sewage, etc.
- Safe for use around marine, animal and plant life

Part No.	Contents	Unit
KP59	One Gallon	1

De-icing Products

Ice Melt

15386



- Fast acting
- Non-streaking on glass surfaces
- Solvent blend to safely and effectively remove ice, snow, and frost from most windshields, headlights and door locks
- Will not harm plastics, rubber, or painted surfaces
- Prevents refreezing

Part No.	Size	Unit
BD1483	15 oz. net wt.	12

Lock De-Icer

3533



- Special chemical compound breaks up, loosens and melts ice quickly and easily; minimizes downtime
- Non-abrasive formula will not harm rubber, metal, painted surfaces; safe for all vehicles
- Lubricating agents help prevent freezing from reoccurring; saves labor time
- Automatic push-in spray nozzle provides easy, accurate application; no mess, no waste

Part No.	Contents	Unit
B10205-1	½ net wt. aerosol	1

Safe Step® Icemelter

3522



- Melts snow and ice effectively below 0°F (-18°C)
- Penetrates ice deeper, works longer to inhibit freezing
- Will not harm grass, shrubs, trees, plants, or concrete when used as directed
- Leaves no oily residue on floors or carpets
- Safe to handle, will not harm skin
- Unlimited shelf life
- 40 boxes per 36" pallet

Part No.	Description	Unit
22801	50 lb. box	1

Vendor Stocked

D
75

Chemicals

Page G-1

Page H-1

Page I-1

Page J-1

Page K-1

Page L-1

Page M-1

Page N-1

Page O-1

MATERIAL HANDLING/
HARDWARE/RUBBER

TOOLS &
ABRASIVES

ELECTRICAL

VEHICLE

SECURITY
PRODUCTS

WELDING

TECHNICAL
DATA

ALPHA
INDEX

PART NO.
INDEX

Insecticides/Skin Care

Pest Management

Wasp & Hornet Killer

36133



- Kills wasps, hornets, fire ants, all crawling as well as stinging insects
- Shoots over 20 feet
- Harmless to plastics

Part No.	Size	Unit
BD1480	20 oz aero (16oz NetWt)	12

Flying Insecticide

36134



- Kills a variety of insects like flies, mosquitoes, moths and gnats as well as ants, roaches and crickets
- Effective blend of ingredients for control of a variety of residential and outdoor insects
- EPA registered

Part No.	Size	Unit
BD1481	20 oz aero (16 oz NetWt)	12

Skin Protection (Before You Work)

Travabon® Skin Care Products

13144



- Skin protection cream - apply before you work
- For use against oil-based hazards, organic solvents, paint thinner, oil, paint, ink, metal, dust, dirt and grime
- Assist in easier clean-up
- Silicone and oil-free

Stockhausen			
Part No.	No.	Contents	Unit
281004	28100424	100 ml tube	1
281052	28105208	1000 ml Softbottle®	1

☐ Vendor Stocked

Page A-1

Page B-1

Page C-1

Page D-1

Page E-1

Page F-1

ASSORTMENTS & CABINETRY

FASTENERS

FITTINGS & HOSE

CHEMICALS

MAINTENANCE & SHOP SUPPLIES

SAFETY SUPPLIES

Derma Glove

6181



- Product forms an invisible barrier that protects skin from: deep soiling (i.e., paints, inks, dyes, grease, grime) and skin attacks from harsh chemicals, solvents, acids, alkalis, resins, and salts
- Special skin protectors fight chapping and chemical dermatitis
- Ultra-high quality skin emollients and natural protein help heal damaged skin
- Non-greasy formula
- Washes off with mild conventional cleaners for quick and easy clean up

Part No.	Description	Unit
50112	184g (6.5 oz.) net wt. dispenser can	6

Heavy Duty Cleaning

Cherry Blast - Industrial Strength Hand Cleaner

36331



- Premium hand cleaner fortified with pumice and mild solvents
- Fresh cherry fragrance
- Penetrates fast to liquefy stubborn industrial soils
- Leaves hand clean, soft and smooth even with repeated washing
- Removes: green, ink, resins, tar, adhesives, asphalt, paint, etc.
 - *Compare to Zep's CHERRY BOMB™
 - *Fits Zep's dispenser
- Metal wall Mount dispenser available use part number D218501

Part No.	Size or Description	Unit
BD1500	1 gallon flat top container	4

Barnes Distribution Ultra One Shot Hand Cleaner

30529



- Advanced, pH balanced formula hand cleaner easily cuts the toughest grease and grime without harsh solvents and scrubbers that can dry and damage sensitive skin
- Special conditioning agent leaves hands soft and smooth even after repeated cleanings
- Utilizes purified, crushed walnut shells as a scrubber - natural, biodegradable and easy on the skin
- Concentrated and guaranteed to clean hands in one application leaving a pleasant scent
- 2,000 ml bottles - use with wall mounted dispenser, Barnes Part No. KP84534

Part No.	Size	Unit
KP84536	2000 ml bottle	1
KP84535	2000 ml bottle	6

GOJO® Power Gold™ with Crushables

6483



- A powerful, fast-acting concentrated hand cleaner for use on the heaviest grease and grime; cleans heavy dirt, grease, tar, sludge
- Contains scientifically advanced CRUSHABLES, GOJO's exclusive, natural non-irritating scrubbing particles that break down to break up and absorb dirt
- Waterless style
- Contains vitamin E, aloe, and jojoba to help keep skin healthy
- Its professional strength and concentrated formula cleans hands on the first wash, saving time and money

Part No.	Description	GOJO No.	Unit
21344	2000 ml	7295-04	4
21373	5000 ml	7596-02	2

Lemon Hand Cleaner GoJo®

5453



- Cleans heaviest grease, tar and grime without harsh solvents
- Skin conditioning formulas have emollients & conditioners

Part No.	Hand Cleaner	Contents	GOJO No.	Unit
21306	Lemon Hand Cleaner	4.5 lb. can	0905-06	1
21328	Lemon Hand Cleaner	24 oz. tube	0903-12	12
21308	Lemon Hand Cleaner with Pumice	4.5 lb. can	0915-06	1

Kresto® Skin Care Products

13138



- Extra heavy cleaning
- For extra heavy cleaning of grease, oil, ink, sewer sludge and carbon black
- Astopon natural, biodegradable walnut shell scrubbers
- Low solvent content
- Eucornal for conditioning

Part No.	Stockhausen No.	Contents	Unit
287005	28700524	250 ml tube	1
987045	98704506	2000 ml Softbottle®	1
C37063	987045	2000 ml Softbottle®	6

Advantage Hand Cleaner

5889




- Contains pumice grit for superior scrubbing strength
- Professional strength lotion formula attacks grease, grime, soil, resins, ink, paint, glue, etc.
- Contains aloe and lanolin to soothe hands
- Pleasant scent; leaves no offensive chemical odor on hands
- Convenient dispenser for fast, easy application; no mess, no waste
- One gallon container with carrying handle; convenient, economical

Part No.	Contents	Unit
-21404-1	1 U. S. gal plastic jug	1
-21404-2	15 fl. oz. plastic bottle	6

Chemicals are sold in full unit packages.

GOJO® Supro Max Hand Cleaner with Crushables® II

6488



- Best choice for adhesives and other difficult soils
- Contains scientifically advanced CRUSHABLES®, GOJO's exclusive, natural non-irritating scrubbing particles that break down to break up and absorb dirt
- Removes adhesives, sealants, inks, tar, urethane foams, body filler, epoxies, coatings
- Will not clog drains
- Contains soothing emollients; conditions and moisturizes to help eliminate skin irritation that can lead to dermatitis
- Contains aloe and vitamin E
- Use with water
- NSF #137138 (E4 Rated)

Part No.	Description	GOJO No.	Unit
21350	2000 ml	7272-04	4
21371	5000 ml	7572-02	2

LAVA Bar Soap

36332



- Professional line, heavy duty hand cleaner with moisturizer
- Pumice infused cleaning power
- Removes tough dirt, while easy on your hands
- Cleans dirt, grease, oil, ink, tar, paint, caulk and adhesives
- Recommended for industrial, janitorial and sanitation services

Part No.	Size or Description	Unit
77099	Green Label, 4 oz Bar	48

GOJO® Derma Lite - Powdered Hand Soap

5983



- Concentrated freeze-dried soap with Crushables® scrubbing particles
- Tough on dirt, easy on hands
- Can be used with any standard powdered soap dispenser

Part No.	Contents	Unit
21401	1 gal. plastic jug	1

Heavy Duty Waterless

Antiseptic Hand Cleaner

5886



- Contains chloroxylenol to kill harmful germs
- Professional strength cream formula attacks grease, grime, soil, resins, ink, paint, glue, etc.
- Contains aloe and lanolin to soothe hands
- Pleasant scent; leaves no offensive chemical odor on hands
- Water/waterless formula is effective with or without water
- Use 4-1/2 lb. container with dispenser Part No. 21407
- High impact plastic with pre-drilled mounting holes

Part No.	Description	Unit
21405	14 oz. net wt. can	6
C88220	4½ lb. can	6

Chemicals are sold in full unit packages.

Heavy Duty Hand Cleaner (K-Guard)

15374

- Cleans, conditions and protects
- Contains lanolin to protect hands from drying and chapping
- Use with or without water
- Metal wall bracket holds one gallon bottle - ISD only Part No. C888825

Part No.	Size	Unit
C8883807	12 oz. squeeze bottle	1
C888823	1 gallon	1

Rub 'N Dri Waterless Hand Cleaner

21194



- A gel hand cleaner designed to effectively remove oil and grease bound dirt, paint, inks, epoxies, resins, automotive and industrial grime without scrubbing. For use with or without water. Contains lanolin to soften and protect hands
- Dispenser: A tough plastic push type dispenser, automatically measures correct amount to avoid waste. Lifetime warranty against defects in workmanship and material

Part No.	Description	Unit
+CD559867	2 Kg Can	1
+CD559933	Dispenser for CD559867	1

+Canada only

D
77

Chemicals

Vendor Stocked

Page G-1

Page H-1

Page I-1

Page J-1

Page K-1

Page L-1

Page M-1

Page N-1

Page O-1

MATERIAL HANDLING/
HARDWARE/RUBBER

TOOLS &
ABRASIVES

ELECTRICAL

VEHICLE

SECURITY
PRODUCTS

WELDING

TECHNICAL
DATA

ALPHA
INDEX

PART NO.
INDEX

Skin Care

Medium Duty Cleaning

Scrubs® In-A-Bucket

6885



- Waterless hand cleaner wipes
- Fast, effective and portable
- Can be used on toughest grease, grime, inks, adhesives
- Strong, Rough Touch®, absorbent wipe
- Natural citrus fragrance, leaves skin lotion soft
- NSF #138879 (E4 Rated)

Part No.	Contents	Unit
422C072	72 towels - size 10½" x 12¼" ea. ea.	1
422C072-6	72 towels - size 10½" x 12¼" ea. ea.	6

GOJO® Fast Wipe™ Towels

5465



- Pre-moistened heavy-duty hand-cleaning towels
- Portable; they work at the work site, saving time
- Wipes away irritating chemicals and soils; quickly removes oils and grease
- Made of durable, absorbent non-woven material impregnated with fast-acting orange cleaning formula — fortified with Vitamin E and Aloe to protect hard working hands

Part No.	Wipes per Package	Unit
21341	130	1
21342	225	1

GOJO® Multi Green™ Hand Cleanser with Scrubbing Particles



- Triple-duty formula; effective for light, medium and heavy soils; the one soap for plant-wide use
- Natural citrus ingredients
- Scrubbing particles will not clog drains
- Enriched with aloe and vitamin E

Part No.	Description	GOJO No.	Unit
21349	2000 ml	7265-04	4
21370	5000 ml	7565-02	2

GOJO® Natural Orange Hand Cleaner

5452



- Cleans heaviest grease, tar and grime without harsh solvents
- Skin conditioning formulas has emollients and conditioners

Part No.	Hand Cleaner	Contents	GOJO No.	Unit
21300	Natural Orange with Pumice	1 gallon	0955-02	1
21302	Natural Orange with Pumice	½ gallon	0954-06	1
21303	Natural Orange	1 gallon	0945-02	1
21304	Natural Orange	½ gallon	0944-06	1
21305	Natural Orange	14 oz. bottle with brush	0947-12	1

Fast Orange Hand Cleaner

13137



- Fine pumice or smooth lotion and cream hand cleaner
- The #1 selling, biodegradable, waterless, petroleum-solvent-free hand cleaner that contains no harsh chemical
- Pure, fresh-smelling natural citrus power does the cleaning
- Fine pumice or smooth formula gently deep cleans the toughest dirt
- Suggested applications: Resins, oil, grease, tar, grime, soil, printer's ink, epoxies, paint, rubber, gaskets and tile cement

Part No.	Hand Cleaners	Contents	Unit
C39171	Pumice lotion	1 gal.	4
C39170	Pumice lotion	15 fl. oz.	12
C26216	Pumice cream	4.5 lb.	6

GOJO® Natural Orange with Pumice or Fine Italian Pumice

6484



- Works on medium to heavy dirt and grease
- Use in repair and maintenance operations
- Waterless lotion style; use when water is not available
- Petroleum-free citrus formula; contains aloe, lanolin and jojoba

Part No.	Description	GOJO No.	Unit
21348	2000 ml-w/Fine Italian Pumice	7255-04	4
21369	5000 ml-w/Pumice	7556-02	2

Orange Rough Touch Hand Cleaner

15370



- Dextro-limonene natural citrus extract solvent combined with emollients, volcanic pumice and conditioners
- Liquifies grease, rinses easily and can be used with or without water
- Biodegradable
- Orange color with pleasant citrus fragrance
- Added conditioners protect against drying, cracking and chapping
- 4.5 lb can dispenser (C240501, available only through ISD)
- NSF #137860 (E4 Rated)

Part No.	Size	Unit
C240100	16 oz. hanging tube (454 g.)	12
C240101	4½ lb. can (2.04 kg.)	6

GOJO® Original Formula & Fine Italian Pumice

5454



- GOJO® hand cleaners clean the heaviest grease, tar, and grime without the use of harsh solvents
- Skin conditioning formulas have emollients and conditioners
- Choose from a variety of sizes and dispensers to meet all types of heavy-duty cleaning needs

Part No.	Hand Cleaner	Contents	GOJO No.	Unit
21318	Original Formula	4.5 lb. can	1115-06	1
21319	Original Formula	18 oz. can	1109-12	1
21320	Fine Italian Pumice	4 lb. can	1135-06	1
21321	Fine Italian Pumice	16 oz. can	1132-12	1

D 78

Chemicals

Vendor Stocked

Page A-1

ASSORTMENTS & CABINETS

Page B-1

FASTENERS

Page C-1

FITTINGS & HOSE

Page D-1

CHEMICALS

Page E-1

MAINTENANCE & SHOP SUPPLIES


Page F-1

SAFETY SUPPLIES

Light Duty (Every Day)

Refresh™ Dye & Fragrance Free Foam

36337



- Newest technology in every day hand cleaners
- Thick and luxurious foam pampers your hands
- No Dye or Fragrances to irritate your skin
- A small and attractive dispenser is perfect for front end restrooms, break rooms and more
- Refresh® soap dispenser, 800 ml available by part number 77098

Part No.	Size or Description	Unit
77097	Refresh™ Foam Refill, 800 ml	6

Estesol® Skin Care Products

13141



- Light duty hand cleaning
- For light duty, everyday cleaning
- Pleasant to use
- Economical
- Suitable for cleaning the entire body

Part No.	Stockhausen No.	Contents	Unit
883311	88331106	2000 ml Softbottle®	1

Fast Orange Hand Cleaner

36349



- Fine pumice or smooth lotion and cream hand cleaner
- The #1 selling, biodegradable, waterless, petroleum-solvent-free hand cleaner that contains no harsh chemical
- Pure, fresh-smelling natural citrus power does the cleaning
- Fine pumice or smooth formula gently deep cleans the toughest dirt
- Suggested applications: Resins, oil, grease, tar, grime, soil, printer's ink, epoxies, paint, rubber, gaskets and tile cement

Part No.	Hand Cleaners	Contents	Unit
C28288	Smooth lotion	1 gal.	4
C28287	Smooth lotion	15 fl. oz.	12

Soft Touch Hand Cleaner

15369



- Ideal for everyday use
- No phosphates or solvents, non-caustic and leaves no residue
- Biodegradable and USDA authorized E4
- Opaque white to light yellow color with natural fresh fragrance
- Added conditioners protect against drying, cracking and chapping

Part No.	Size	Unit
C240010	16 oz. hanging tube (454 g.)	12

GOJO® Shower Up® Soap & Shampoo

6490



- Synthetic formula; will not leave soap scum on shower room walls
- Rich deodorant lather
- Recommended for the electronics industry
- For hands, face, hair and body
- USDA rating E4

Part No.	Description	GOJO No.	Unit
21368	5000 ml	7530-02	2

*No Split Units

Lotion/Conditioner

GoJo® Hand Medic Professional Skin Conditioner

13153



- Antiseptic feature to help heal red, rough, dry, cracked skin
- Quick rub-in
- Non-greasy
- No fragrance
- Recommended for schools, food service establishments, health clubs, offices, and industrial facilities
- NSF #137139 (E4 Rated)

Part No.	Contents	Unit
-8242-06	Hand Medic 500 ml Refill	6

GOJO® Hand Medic Skin Lotion

6478



- Industrial skin care at the workplace
- Use to replace skin oils and help prevent the minor skin irritation that can lead to dermatitis
- Recommended for industrial and office workers, electronics, medical personnel, mechanics, and home use
- Enriched with aloe and vitamin E
- Silicone-free
- NSF #137139 (E2 Rated)

Part No.	Description	GOJO No.	Unit
21345	5 fl oz tube	8140-24	1

Vendor Stocked

D
79

Chemicals

Page G-1

Page H-1

Page I-1

Page J-1

Page K-1

Page L-1

Page M-1

Page N-1

Page O-1

MATERIAL HANDLING/
HARDWARE/RUBBER

TOOLS &
ABRASIVES

ELECTRICAL

VEHICLE

SECURITY
PRODUCTS

WELDING

TECHNICAL
DATA

ALPHA
INDEX

PART NO.
INDEX

Skin Care

Stokolan® Skin Care

13146



- Helps replace loss of oil and moisture while smoothing the skin
- Ideal for chapping, chafing and eczema
- Highly concentrated and silicone free

Part No.	Stockhausen No.	Contents	Unit
285485	28548524	100 ml tube	1
285477	28547708	1000 ml Softbottle®	1

Specialty

Cupran® Hand Cleaner

15364



D 80

- Removes extremely stubborn oil, paints, lacquers, resins, adhesives, etc. from hands
- Slightly acidic hand cleaner contains a mixture of esters to break down paint resins and pigments
- Highly concentrated and effective cleaning with only small quantities
- White paste with non-aggressive scrubber and slight fragrance

Part No.	Size	Unit
C21645	250 ml tube	1

Paint & Resin Removing Hand Cleaner

5867



- A safer alternative to harsh solvents and thinners for removing paints and stains
- Demonstrates superior cleaning ability on tough soils, urethane paints, acrylics, enamel and epoxies
- Fine pumice formula
- Non-toxic
- Non-flammable
- Biodegradable
- 15 fl. oz. squeeze bottle

Part No.	Contents	Unit
65116	15 fl. oz. squeeze bottle	1

☐ Vendor Stocked

Page A-1

Page B-1

Page C-1

Page D-1

Page E-1

Page F-1

ASSORTMENTS & CABINETS

FASTENERS

FITTINGS & HOSE

CHEMICALS

MAINTENANCE & SHOP SUPPLIES

SAFETY SUPPLIES

Antimicrobial

Antimicrobial SCRUBS® Hand Sanitizer Wipes

13119



- Kills germs instantly
- Prevents cross-contamination
- Conditions and moisturizes skin
- Fast, effective and portable
- NSF #139343 (E3 Rated)

Part No.	Contents	Unit
90985	85 towels — size 6" x 8"	1

Estesol® Clear Antimicrobial Hand Cleaner

15365



- Antimicrobial formulation kills germs on contact
- Effectively removes bacteria from the hand that can cause disease
- Gentle enough for everyday use
- Mild to the skin with excellent lathering properties
- Kills the following bacteria: staphylococcus aureus, streptococcus pneumoniae, streptococcus pyogenes and enterococcus faecalis
- Clear in color; fragrance and dye free
- Use with Stoko Vario dispenser, part number 289808

Part No.	Size	Unit
C21648	1900 ml bottle	6

GoJo® Thick Pink Antiseptic Lotion Soap

32733



- Economical lotion soap provides germ-killing action
- Contains 0.3% chloroxylenol (PCMX)
- General restroom use
- Pleasant fragrance
- Can use pump for gallon bottles or GoJo specific dispenser 1275-01 (SSG only)
- NSF #049576 (E4 Rated)

Part No.	Contents	Unit
01845	1 gallon	1 case

GoJo® Micrell® Antibacterial Lotion Soap

13152



- Kills germs, yet is gentle on hands even after repeated daily washings
- Quick-acting antimicrobial agent — chloroxylenol (PCMX)
- Lightly scented, gold liquid with moisturizers
- Non-irritating formula to encourage frequent use
- Recommended for schools, food service establishments, health clubs, offices, and industrial facilities
- NSF #132606 (E4 Rated)

Part No.	Contents	Unit
-9756-06	Micrell 800 ml Refill "Bag-in-Box"	6
-9752-12	Micrell 8 fl. oz. Pump Bottle	12

GOJO® Rich Pink™ Antibacterial Lotion Soap

6485



- Helps kill germs on hands
- Perfect for light soils; for general plant and office use
- Rich deodorant lather with emollients and conditioners to keep hands healthy
- Contains PCMX (parachlorometaxylenol) to help reduce the risk of dermatitis
- Contains aloe extracts and vitamin E
- NSF #049576 (E4 Rated)

Part No.	Description	GOJO No.	Unit
21347	2000 ml	7220-04	4
21367	5000 ml	7520-02	2